

KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806M

Heavy Duty | Prison units





2000100956 Version with WC pan angled 45° to the left


2000100957

Version with centrally arranged WC pan Dimensions 390 x 1000 x 780 mm (W x H x D)

2000100958

Version with WC pan angled 45° to the right Dimensions 700 x 1000 x 670 mm (W x H x D)

Chromium nickel steel WC wash basin combination, satin finish surface for installing outside a utility room accessible from the back with remotely controlled tap components for fitting in the utility room, fixing from the back with threaded pins. Mounting stand, material thickness 2 mm with elevated rear wall including wall outlet and piezo button with start/stop function with seamless welded WC paper compartment and seamless moulded wash basin with trap, outlet DN 40. WC pan, material thickness 1.6 mm with full-length skirting, arranged in the middle 90 degrees, bowl rim where nothing



WC position

left

middle

right

can hide with piezo button for WC flushing, flushing certified pursuant to EN 997, horizontal outlet at the back DIN 100. With solenoid to connect to premixed hot water or cold water. Condensation water-proof concealed cistern with single flush technology (9 or 6 litres) Supply voltage 24 V DC Including fixing material.

Overall dimensions 390 x 1000 x 780 mm (W x H x D)

Technical Data

body width	
front access panel	
floor fixing joggle plate	
inlet size	
material	
material code	
material thickness body	
material thickness WC	
outlet size	
overall depth	
overall height	
overall width	
overflow	
pipework material	
self closing push buttons	
toilet roll holder diameter	
shroud design	
soap dish	
spout length	

390 mm	
yes	
no	
DN 15	
stainless steel	
1.4301 Chrome Nickel s	steel V2A
2 mm	
1.5 mm	
DN 50/DN 100	
775 mm	
1,000 mm	
390 mm	
no	
stainless steel	
electronical	
153 mm	
round shape	
no	
83 mm	





KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806M

Heavy Duty | Prison units

surface finish	satin finished
tap with integrated bubbler	no
type of flushing fitting	WC flush valve
type of mounting	bolt mounting
type of toilet seat	no seat
type of WC	floor standing
upper edge of basin height	850 mm
upstand depth	20 mm
upstand height	150 mm
WC height	400 mm
WC position	middle

Mandatory Accessories









ECC2 function controller

2000108123 ZA3OP0011 ECC2 function controller 2030016282 ZA3OP0022 Power supply unit

2000100375 ZAQUA007







Power supply unit


2000102691

ZAQUA094



System cable

2000100801 ZAQUA077





2000104272 ZAQUA011 System cable

2000104274 ZAQUA012

Spare Parts



KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806M Heavy Duty | Prison units





Electrical T junction

2000100853 ZAQUA075 Solenoid valve

2000101328 ZAQUA032

Piezo Switch

2000104441 EAT300001



2000107291 ZTAPS0004

Wall outlet, DN 15



Stainless steel care set

2000109019 ZWSPL0024 Cleaning product CHROMOL

2000105091 ZWSPL0023