


KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806R

Heavy Duty | Prison units





KWC-No.

2000100956

Version with WC pan angled 45° to the left

2000100957

Version with centrally arranged WC pan Dimensions 390 x 1000 x 780 mm (W x H x D)

2000100958

Version with WC pan angled 45° to the right Dimensions 700 x 1000 x 670 mm (W x H x D)

Chromium nickel steel WC wash basin combination, satin finish surface for installing outside a utility room accessible from the back with remotely controlled tap components for fitting in the utility room, fixing from the back with threaded pins. Mounting stand, material thickness 2 mm with elevated rear wall including wall outlet and piezo button with start/stop function with seamless welded WC paper compartment and seamless moulded wash basin with trap, outlet DN 40. WC pan, material thickness 1.6 mm with full-length skirting, arranged on the right 45 degrees, bowl rim where nothing

WC position

left

middle

right

can hide with piezo button for WC flushing, flushing certified pursuant to EN 997, horizontal outlet at the back DN 100. With solenoid to connect to premixed hot water or cold water. Condensation water-proof concealed cistern with single flush technology (9 or 6 litres) Supply voltage 24 V DC Including fixing material.

Overall dimensions 700 x 1000 x 670 mm (W x H x D)

Technical Data

Technical Data	
body width	
front access panel	
floor fixing joggle plate	
inlet size	
material	
material code	
material thickness body	<u>-</u>
material thickness WC	
outlet size	
overall depth	
overall height	
overall width	
overflow	
pipework material	
self closing push buttons	
toilet roll holder diameter	
shroud design	·
soap dish	·
spout length	

390 mm
yes
no
DN 15
stainless steel
1.4301 Chrome Nickel steel V2A
2 mm
1.5 mm
DN 50 / DN 100
669 mm
1,000 mm
699 mm
no
stainless steel
electronical
153 mm
round shape
no
83 mm
·







KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806R

Heavy Duty | Prison units

tap with integrated bubbler	
type of flushing fitting	
type of mounting	
type of toilet seat	
type of WC	
upper edge of basin height	
upstand depth	
upstand height	
WC height	
WC position	

satin finished			
no			
WC flush valve			
bolt mounting			
no seat			
floorstanding			
850 mm			
20 mm			
150 mm			
400 mm			
right			

Mandatory Accessories









ECC2 function controller

2000108123 ZA3OP0011



2030016282 ZA3OP0022 Power supply unit

2000100375 ZAQUA007 Power supply unit

2000102691 ZAQUA094









System cable

2000100801 ZAQUA077

System cable

2000100852 ZAQUA078 System cable

2000104272 ZAQUA011 System cable

2000104274 ZAQUA012

Spare Parts



KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806R

Heavy Duty | Prison units









Piezo Switch

2000104441 EAT300001



Wall outlet, DN 15

2000107291 ZTAPS0004

Electrical T junction

2000100853 ZAQUA075

Solenoid valve

2000101328 ZAQUA032



Stainless steel care set

2000109019 ZWSPL0024



Cleaning product CHROMOL

2000105091 ZWSPL0023