


KWC PROTRONIC-S Electronic pillar mixer with in-wall power supply

Modell-Linie: PROTRONIC-S | AQUA134
Taps | Electronic taps



KWC-No.


2000102693

PROTRONIC-S mains-supplied washbasin mixer with touch-free operation, DN 15 with aerator and integrated flow control, for connection to hot and

cold water supply, polished chromium-plated brass. With temperature selection lever, conversion set for concealed mixing device and with power supply for installation in the wall, 230 V AC.

Technical Data

| | |
|---------------------------------|--------------------------|
| with backflow preventer | yes |
| calculation flow rate cold wat | 0.07 l/s |
| calculation flow rate hot water | 0.07 l/s |
| default automatic hygiene flus | not activated |
| default flow time | 60 Seconds |
| depressurised | no |
| with filter | yes |
| functional principle | electronic self-closing |
| hygiene flushing | yes |
| diameter nominal | DN 15 |
| inlet size | G 3/8 |
| Locking mechanism | Top section, non-ceramic |
| material fitting | brass |
| minimum flow pressure | 1 bar |
| type of mixing | yes |
| Parameterization | remote control |
| Pop-up waste set | no |
| power supply connection | 230 V AC |
| position of power connection | from bottom |
| Type of power supply | Transformer |
| protective system IP | IP55 |
| with rosettes/cover plate | no |
| protective shutdown | yes |
| sound insulation | yes |
| Spout | fixed |
| spout projection | 102 mm |



KWC PROTRONIC-S Electronic pillar mixer with in-wall power supply

Modell-Linie: PROTRONIC-S | AQUA134
Taps | Electronic taps

| | |
|-------------------------------|------------------------|
| surface finish fitting | chromed |
| surface treatment fitting | polished |
| temperature limit | yes |
| thermal disinfection | no |
| with transformer/power supply | yes |
| type of mounting | tap hole |
| type of operation | sensor operation |
| type of sensor | opto-electronic sensor |
| type of tap | pillar tap |
| volume flow rate at 3 bar | 0.1 l/s |
| water connection | hose (gland nut) |
| Accent colour | none |
| Basic colour | chrome-look (glossy) |

Optional Accessories



PURETHERM under-table thermostat

2030012758
PURE0031




Remote control

2000101087
ZAQUA091



Aerator

2000101160
ZAQUA087



Extension cable 5 m


2030043814
ACEX9010

Spare Parts



Aerator 6.0 l/min

2000104691
ASXX1015



Sealing plug blue/red

2000109500
EPRTR0031



Hose, G3/8 x M8x1

2000109491
EPRTR0029



Spare part set

2000105106
EPRTR0009



KWC PROTRONIC-S
Electronic pillar mixer with in-wall power supply

Modell-Linie: PROTRONIC-S | AQUA134
Taps | Electronic taps



In-wall power supply

2030039825
ACEX9003
