


KWC

F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2001 Showers | Self closing showers







| KWC-No. | shower pipe draining |
|--|----------------------|
| 2030032998 | no |
| 2030036685 with automatic shower pipe draining | yes |

F5S-Mix self-closing wall-mounted mixer DN 15 as single-mixer for wall mounting, for shower facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow duration. With adjustable, turn-proof

temperature stop. Connects to hot and cold water. Housing with outlet on top, G 3/4 B, for installation of bent outlet or surface-mounted shower pipe. All-metal construction, high-polished

chromium-plated brass. With adjustable and turn-proof connections with backflow preventer and strainers, completely covered with depth-adjustable screw rosettes.

Technical Data

| additional connections | no |
|--------------------------------|-----------------|
| with backflow preventer | yes |
| calculation flow rate cold wat | 0.15 l/s |
| calculation flow rate hot wate | 0.15 l/s |
| circulation | no |
| compatible A3000 open | no |
| connection with pay water disp | not possible |
| with filter | yes |
| adjustable flow time | yes |
| functional principle | hydraulic self- |
| for hand shower | no |
| hygiene flushing | no |
| diameter nominal | DN 15 |
| inlet size | G 1/2 B |
| Locking mechanism | Top section, ce |
| material fitting | brass |
| maximum flow time | 35 Seconds |
| minimum flow pressure | 0.5 bar |
| minimum flow time | 5 Seconds |
| type of mixing | yes |
| with rosettes/cover plate | yes |
| protective shutdown | no |
| shower pipe draining | no |

| hydraulic self-closing |
|------------------------|
| no |
| no |
| DN 15 |
| G 1/2 B |
| Top section, ceramic |
| brass |
| 35 Seconds |
| 0.5 bar |
| 5 Seconds |
| yes |
| yes |
| no |
| no |



кwс

F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2001 Showers | Self closing showers

| sound insulation | no | |
|------------------------------|----------------------|--|
| surface finish fitting | chromed | |
| surface treatment fitting | polished | |
| temperature limit | yes | |
| thermal disinfection | no | |
| type of mounting | wall mounting | |
| type of operation | manual operation | |
| type of shower | wall fitting | |
| volume flow rate at 3 bar | 0.3 l/s | |
| water connection | S-connections | |
| position of water connection | from backside | |
| Accent colour | none | |
| Basic colour | chrome-look (glossy) | |

Optional Accessories









Bent outlet

2030050434 ACXX2005

Bent outlet **2030050435** ACXX2006 Shower pipe

2030041522 ACSX2002

AQUAJET-Comfort shower head

2030021283 SHAC0008



AQUAJET-Slimline shower head

2000103757 AQUA757

Spare Parts



кwс

F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2001 Showers | Self closing showers

dD, Mounting set Plug chromed Handle push cap Screw rosette **2030046777** ASXX9003 2030003401 EAQLT0009 **2030053006** ASSX9004 **2030050753** ASSM9004 FRAMIC self-closing mixing cartridge Temperature stop Safety ring **2030048357** ASSX9003 **2030046189** ASSM9002 **2030046185** ASSM9001