


### **KWC**

F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2001 Showers | Self closing showers





### KWC-No.

### 2030032998

### 2030036685

with automatic shower pipe draining

F5S-Mix self-closing wall-mounted mixer DN 15 as single-mixer for wall mounting, for shower facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow duration. With adjustable, turn-proof

### shower pipe draining

yes

temperature stop. Connects to hot and cold water. Housing with outlet on top, G 3/4 B, for installation of bent outlet or surface-mounted shower pipe. All-metal construction, high-polished chromium-plated brass. With adjustable and turn-proof connections with backflow preventer and strainers, completely covered with depth-adjustable screw rosettes.

### Technical Data

additional connections			
with backflow preventer			
calculation flow rate cold wat			
calculation flow rate hot wate			
circulation			
compatible A3000 open			
connection with pay water disp			
with filter			
adjustable flow time			
functional principle			
for hand shower			
hygiene flushing			
diameter nominal			
inlet size			
Locking mechanism			
material fitting			
maximum flow time			
minimum flow pressure			
minimum flow time			
type of mixing			
with rosettes/cover plate			
protective shutdown			
shower pipe draining			

no
yes
0.15 <i>V</i> s
0.15 l/s
no
no
not possible
yes
yes
hydraulic self-closing
no
no
DN 15
G 1/2 B
Top section, ceramic
brass
35 Seconds
0.5 bar
5 Seconds
yes
yes
no
no





# **KWC**

F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2001 Showers | Self closing showers

sound insulation	no	
surface finish fitting	chromed	
surface treatment fitting	polished	
temperature limit	yes	
thermal disinfection	no	
type of mounting	wall mounting	
type of operation	manual operation	
type of shower	wall fitting	
volume flow rate at 3 bar	0.3 l/s	
water connection	S-connections	
position of water connection	from backside	
Accent colour	none	
Basic colour	chrome-look (glossy)	

## **Optional Accessories**









Bent outlet

**2030050434** ACXX2005



Bent outlet

**2030050435** ACXX2006

Shower pipe

**2030041522** ACSX2002

**AQUAJET-Comfort shower head** 

**2030021283** SHAC0008



AQUAJET-Slimline shower head

**2000103757** AQUA757

# **Spare Parts**



# **KWC**

F5S-Mix self-closing wall-mounted mixer

# Modell-Linie: F5S | F5SM2001 Showers | Self closing showers









# Plug chromed

**2030053006** ASSX9004

Handle push cap

**2030050753** ASSM9004

Temperature stop

**2030046189** ASSM9002

### Safety ring

**2030048357** ASSX9003



### FRAMIC self-closing mixing cartridge

**2030046185** ASSM9001