


KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1001
Taps | Self closing taps



KWC-No.

2030036163

volume flow rate at 3 bar

0.08 l/s

F5S-Mix self-closing pillar mixer DN 15 as single-mixer tap for sanitary facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow

duration. With an adjustable, turn-proof temperature stop. For connection to hot water and cold water via hoses with integrated backflow preventer and strainers. All-metal construction, high-polished chromium-plated brass. Anti-theft aerator, SLIM design, with integrated flow regulator 5.0 l/min.

Technical Data

with backflow preventer

yes

calculation flow rate cold wat

0.07 l/s

calculation flow rate hot wate

0.07 l/s

compatible A3000 open

no

depressurised

no

with filter

yes

adjustable flow time

yes

functional principle

hydraulic self-closing

hygiene flushing

no

diameter nominal

DN 15

inlet size

G 3/8

Locking mechanism

Top section, ceramic

material fitting

brass-look

maximum flow time

35 Seconds

minimum flow pressure

0.5 bar

minimum flow time

5 Seconds

type of mixing

yes

Pop-up waste set

no

with rosettes/cover plate

no

protective shutdown

no

sound insulation

no

Spout

fixed

spout projection

125 mm

surface finish fitting

chromed

surface treatment fitting

polished



KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: **F5S** | **F5SM1001**
Taps | Self closing taps


| | |
|---------------------------|----------------------|
| temperature limit | yes |
| thermal disinfection | no |
| type of mounting | tap hole |
| type of operation | manual operation |
| type of tap | pillar tap |
| volume flow rate at 3 bar | 0.08 l/s |
| water connection | hose (gland nut) |
| Accent colour | none |
| Basic colour | chrome-look (glossy) |

Optional Accessories



Socket for increasing the tap body by 140 mm

2030041519
ACSX1001



Anti-twist protection for F5S

2030035383
ACXX1001




5.0 l/min aerator, angle-adjustable

2030041326
ACXX1002



3.0 l/min. aerator

2030041424
ASXX1008



Aerator 1.8 l/min

2030041442
ACXX1005

Spare Parts

KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1001
Taps | Self closing taps



Plug chromed

2030053006
ASSX9004



Handle push cap

2030048384
ASSM1003



Temperature stop

2030046188
ASSM1002



Safety ring

2030048357
ASSX9003



FRAMIC Self-closing mixing cartridge

2030046146
ASSM1001



Quick-action fastener

2030043596
ASEX1013



Hose

2030041320
ASXM1001



Aerator 5.0 l/min

2030041011
ASXX1004



Mounting key

2030041329
ACXX1003