


KWC

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1002

Taps | Self closing taps





spout projection

160 mm

100 mm

220 mm

| KWC-No. | |
|--|--|
| 2030036196 Projection 160 mm | |
| 2030036195 Projection 100 mm | |

F3S-Mix self-closing wall-mounted mixer DN 15 as single-mixer tap for wall mounting with lockable swivelling spout, for sanitary facilities. Self-closing mixing cartridge, hydraulically controlled, piston-free design, self-closing, stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. Connects to hot and cold water. Casing, high-polished chromium-plated brass. Laminar jet controller with integrated flow regulator 6.0 *lm*in. With adjustable connections, backflow preventer, strainers and screw rosettes. Projection 100 mm.

0.1 l/s

0.1 l/s

0.1 l/s

volume flow rate at 3 bar

Technical Data

2030036197 Projection 220 mm

| with backflow preventer | yes |
|--------------------------------|--------------------------|
| calculation flow rate cold wat | 0.07 l/s |
| calculation flow rate hot wate | 0.07 Vs |
| compatible A3000 open | no |
| depressurised | no |
| with filter | yes |
| adjustable flow time | yes |
| functional principle | hydraulic self-closing |
| hygiene flushing | no |
| diameter nominal | DN 15 |
| inlet size | G 1/2 B |
| Locking mechanism | Top section, non-ceramic |
| material fitting | brass-look |
| maximum flow time | 20 Seconds |
| minimum flow pressure | 1 bar |
| minimum flow time | 5 Seconds |
| type of mixing | yes |
| Pop-up waste set | no |
| with rosettes/cover plate | yes |
| protective shutdown | no |
| sound insulation | no |
| Spout | rotating, bottom |



кwс

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1002 Taps | Self closing taps

| spout projection | 100 mm |
|---------------------------|----------------------|
| surface finish fitting | chromed |
| surface treatment fitting | polished |
| temperature limit | yes |
| thermal disinfection | no |
| type of mounting | wall mounting |
| type of operation | manual operation |
| type of tap | bib tap |
| volume flow rate at 3 bar | 0.1 <i>V</i> s |
| water connection | S-connections |
| Accent colour | none |
| Basic colour | chrome-look (glossy) |

Optional Accessories





Theft-proof housing for aerator

Screw connection

2000104778 ZTAPS0005



Spare Parts





Handle push cap

2030046771 ASSM9003

| 7 | |
|-----------------|--|
| Functional part | |

| 2000104372 | |
|------------|--|
| ETAPS0001 | |



Mounting set

2030003401 EAQLT0009



Swivel spout, 100 mm

2030032671 ASXX1001

KWC Group AG | Home: info@kwc.com| Professional: kwc-export.int@kwc.com | www.kwc.com



кwс

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1002 Taps | Self closing taps



Laminar jet regulator

2030012352 ETAPS0037