


### **KWC**

F3S-Mix self-closing wall-mounted mixer

### Modell-Linie: F3S | F3SM1002

Taps | Self closing taps





### KWC-No.

**2030036196** Projection 160 mm

### 2030036195

**2030036197**Projection 220 mm

F3S-Mix self-closing wall-mounted mixer DN 15 as single-mixer tap for wall mounting with lockable swivelling spout, for sanitary facilities. Self-closing mixing cartridge, hydraulically controlled, piston-free design, self-closing, stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. Connects to

### spout projection

### 160 mm

### 100 mm

rotating, bottom

220 mm

### volume flow rate at 3 bar

0.1 l/s

0.1 l/s

hot and cold water. Casing, high-polished chromium-plated brass. Laminar jet controller with integrated flow regulator 6.0  $\prime$ min. With adjustable connections, backflow preventer, strainers and screw rosettes. Projection 100 mm.

### **Technical Data**

Spout

with backflow preventer
calculation flow rate cold wat
calculation flow rate hot wate
compatible A3000 open
depressurised
with filter
adjustable flow time
unctional principle
nygiene flushing
diameter nominal
nlet size
ocking mechanism
naterial fitting
naximum flow time
ninimum flow pressure
ninimum flow time
ype of mixing
Pop-up waste set
with rosettes/cover plate
protective shutdown
sound insulation

yes  0.07 Vs  0.07 Vs  no  no  yes  yes  hydraulic self-closing  no  DN 15  G 1/2 B  Top section, non-ceramic  brass  20 Seconds  1 bar  5 Seconds  yes  no  yes  no	
0.07 l/s  no  no  yes  yes  hydraulic self-closing  no  DN 15  G 1/2 B  Top section, non-ceramic  brass 20 Seconds 1 bar 5 Seconds yes  no  yes  no	yes
no no yes yes yes hydraulic self-closing no DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	0.07 l/s
yes yes hydraulic self-closing no DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	0.07 l/s
yes  yes hydraulic self-closing no DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	no
yes hydraulic self-closing no DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	no
hydraulic self-closing no DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	yes
no DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	yes
DN 15 G 1/2 B Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	hydraulic self-closing
G 1/2 B  Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	no
Top section, non-ceramic brass 20 Seconds 1 bar 5 Seconds yes no	DN 15
brass 20 Seconds 1 bar 5 Seconds yes no yes	G 1/2 B
20 Seconds 1 bar 5 Seconds yes no yes	Top section, non-ceramic
1 bar 5 Seconds  yes no yes no	brass
5 Seconds  yes  no  yes  no	20 Seconds
yes no yes no	1 bar
no yes no	5 Seconds
yes no	yes
no	no
	yes
no	no
	no



### **KWC**

F3S-Mix self-closing wall-mounted mixer

## Modell-Linie: F3S | F3SM1002 Taps | Self closing taps

chromed polished
polished
yes
no
wall mounting
manual operation
bib tap
0.1 l/s
S-connections
none

### **Optional Accessories**





### Theft-proof housing for aerator

**2000104778** ZTAPS0005

### Screw connection

**2030041416** ACXX9001

### **Spare Parts**









## Handle push cap

**2030046771** ASSM9003

# **Functional part**

**2000104372** ETAPS0001

### Mounting set

2030003401 EAQLT0009

Swivel spout, 100 mm

**2030032671** ASXX1001



### KWC

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1002 Taps | Self closing taps



### Laminar jet regulator

**2030012352** ETAPS0037