


KWC

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1003

Taps | Self closing taps



KWC-No.

2030036196

Projection 160 mm

2030036195

Projection 100 mm

2030036197

Projection 220 mm

2030039562

with projection 100 mm and aerator with flow regulator 3.0 l/min

2030040037

with projection 160 mm and aerator with flow regulator 3.0 l/min

2030040038

with projection 220 mm and aerator with flow regulator 3.0 l/min

spout projection

160 mm

100 mm

220 mm

100 mm

160 mm

220 mm

volume flow rate at 3 bar

0.1 l/s

0.1 l/s

0.1 l/s

0.05 l/s

0.05 l/s

0.05 l/s

F3S-Mix self-closing wall-mounted mixer DN 15 as single-mixer tap for wall mounting with lockable swivelling spout, for sanitary facilities. Self-closing mixing cartridge, hydraulically controlled, piston-free design, self-closing, stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. Connects to

hot and cold water. Casing, high-polished chromium-plated brass. Laminar jet controller with integrated flow regulator 6.0 l/min. With adjustable connections, backflow preventer, strainers and screw rosettes. Projection 160 mm.

Technical Data

with backflow preventer

yes

calculation flow rate cold water

0.07 l/s

calculation flow rate hot water

0.07 l/s

compatible A3000 open

no

depressurised

no

with filter

yes

adjustable flow time

yes

functional principle

hydraulic self-closing

hygiene flushing

no

diameter nominal

DN 15

inlet size

G 1/2 B

Locking mechanism

Top section, non-ceramic

material fitting

brass-look

maximum flow time

20 Seconds

minimum flow pressure

1 bar

minimum flow time

5 Seconds

type of mixing

yes

KWC

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1003

Taps | Self closing taps

Pop-up waste set	no
with rosettes/cover plate	yes
protective shutdown	no
sound insulation	no
Spout	rotating, bottom
spout projection	160 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	no
type of mounting	wall mounting
type of operation	manual operation
type of tap	bib tap
volume flow rate at 3 bar	0.1 l/s
water connection	S-connections
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



Theft-proof housing for aerator

2000104778
ZTAPS0005



Screw connection

2030041416
ACXX9001

Spare Parts



Handle push cap



Functional part



Mounting set



Swivel spout, 100 mm

KWC

F3S-Mix self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1003
Taps | Self closing taps

2030046771
ASSM9003

2000104372
ETAPS0001

2030003401
EAQLT0009

2030032671
ASXX1001



Laminar jet regulator

2030012352
ETAPS0037
