


KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1006

Taps | Self closing taps





KWC-No.

2030036163

2030039396

with flow regulator 3.0 l/min

F5S-Mix self-closing pillar mixer DN 15 as single-mixer tap for sanitary facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow

volume flow rate at 3 bar

0.08 l/s

0.05 l/s

duration. With adjustable, turn-proof temperature stop. For connection to hot water and cold water via hoses with integrated backflow preventer and strainers. All-metal construction, high-polished chromium-plated brass. Aerator with integrated flow regulator 3.0 l/min.

Technical Data

with backflow preventer	
calculation flow rate cold wat	
calculation flow rate hot wate	
compatible A3000 open	
depressurised	
with filter	
adjustable flow time	
functional principle	
hygiene flushing	
diameter nominal	<u>-</u>
inlet size	
Locking mechanism	
material fitting	
maximum flow time	
minimum flow pressure	
minimum flow time	
type of mixing	
Pop-up waste set	
with rosettes/cover plate	
protective shutdown	·
sound insulation	·
Spout	
spout projection	
surface finish fitting	

yes
0.07 l/s
0.07 l/s
no
no
yes
yes
hydraulic self-closing
no
DN 15
G 3/8
Top section, ceramic
brass
35 Seconds
0.5 bar
5 Seconds
yes
no
no
no
no
fixed
125 mm
chromed





KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1006 Taps | Self closing taps

surface treatment fitting	polished	
temperature limit	yes	
thermal disinfection	no	
type of mounting	tap hole	
type of operation	manual operation	
type of tap	pillartap	
volume flow rate at 3 bar	0.05 l/s	
water connection	hose (gland nut)	
Accent colour	none	
Basic colour	chrome-look (glossy)	

Optional Accessories









Socket for increasing the tap body by 140 mm

2030041519 ACSX1001

Anti-twist protection for F5S

2030035383 ACXX1001

5.0 I/min aerator, angle-adjustable

2030041326 ACXX1002

Aerator 1.8 I/min

2030041442 ACXX1005





Theft-proof housing for aerator

2000104778 ZTAPS0005

PURETHERM under-table thermostat

2030012758 PURE0031

Spare Parts



KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1006 Taps | Self closing taps









Plug chromed

2030053006 ASSX9004



Handle push cap

2030048384 ASSM1003





Temperature stop

2030046188 ASSM1002





FRAMIC Self-closing mixing cartridge

2030046146 ASSM1001



2030043596 ASEX1013

Hose

2030041320 ASXM1001

3.0 I/min. aerator

2030041424 ASXX1008

Safety ring

2030048357 ASSX9003