


## KWC

### F5E-Therm electronic thermostat wall-mounted mixer for separate power supply

Modell-Linie: F5E | F5ET2005

Showers | Electronic self closing shower



#### KWC-No.

**2030039542**

**2030039550**

Version with pre-assembled thermal disinfection unit

#### thermal disinfection

yes


automatic thermal disinfection

F5E-Therm thermostatic mixer DN 15 for wall mounting, for shower facilities. Electronically controlled, for connection to hot water and cold water. Thermostat with metal handle and adjustable, turn-proof temperature stop. With option for thermal disinfection, manually or automatically via optional disinfection unit. Control electronics, solenoid valve cartridge and touch sensor in scald-protected safe-touch housing with outlet on top, G 3/4 B, for installation of bent outlet or surface-mounted shower pipe. All-metal

construction, high-polished chromium-plated brass. With adjustable and lockable connections with backflow preventer and strainers, completely covered with depth-adjustable screw rosettes. Activated water hygiene flushing 24 hours after last activation and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control. Separate power supply via power supply unit 6.75 V / 12 V DC or AQUA 3000 open system accessories.

#### Technical Data

additional connections	no
with backflow preventer	yes
calculation flow rate cold wat	0.15 l/s
calculation flow rate hot water	0.15 l/s
circulation	no
compatible A3000 open	yes
connection with pay water disp	via electronic module
default automatic hygiene flus	24h after the last activity
default flow time	30 Seconds
with filter	yes
adjustable flow time	yes
functional principle	electronic self-closing
for hand shower	no
hygiene flushing	yes
diameter nominal	DN 15
inlet size	G 1/2 B
Locking mechanism	Top section, non-ceramic
material casing	brass-look
material fitting	brass-look
maximum flow time	255 Seconds
minimum flow pressure	1 bar
minimum flow time	1 Seconds



## KWC


F5E-Therm electronic thermostat wall-mounted mixer for separate power supply

Modell-Linie: F5E | F5ET2005

Showers | Electronic self closing shower


type of mixing	with thermostat
Parameterization	remote control
power supply connection	6,75 / 12 VDC / A3000 open
position of power connection	from backside
power consumption	1,5 Voltampere
Type of power supply	Transformer
with rosettes/cover plate	yes
protective shutdown	yes
shower pipe draining	no
sound insulation	no
surface finish casing	chromed
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
with transformer/power supply	no
type of mounting	wall mounting
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of shower	wall fitting
Volume flow rate bypass PWH	0.05 l/s
volume flow rate at 3 bar	0.23 l/s
water connection	S-connections
position of water connection	from backside
Accent colour	none
Basic colour	chrome-look (glossy)

### Mandatory Accessories




Mounting bar for F5 wall-mounted mixers

**2030071303**  
F5BTX002



Power supply unit

**2030039477**  
ACEX9001



Extension cable 5 m

**2030043814**  
ACEX9010

### Optional Accessories

## KWC

F5E-Therm electronic thermostat wall-mounted mixer for separate power supply

Modell-Linie: F5E | F5ET2005

Showers | Electronic self closing shower



**Bent outlet**

**2030050434**  
ACXX2005



**Bent outlet**

**2030050435**  
ACXX2006



**Shower pipe**

**2030041525**  
ACXX2003



**AQUAJET-Slimline shower head**

**2000103757**  
AQUA757



**AQUAJET-Comfort shower head**

**2030021283**  
SHAC0008



**Thermal disinfection unit for F5E-Therm thermostatic wall mixers**

**2030039541**  
ACET9001



**Electronic module EM5 for F5 shower taps**

**2030041918**  
ACET2001



**Bidirectional remote control for electronic fittings F3 and F5**

**2030036654**  
ACEX9005



**2-button remote control for fittings F3 and F5**

**2030036849**  
ACEX9004


## Spare Parts

## KWC

F5E-Therm electronic thermostat wall-mounted mixer for separate power supply

Modell-Linie: F5E | F5ET2005

Showers | Electronic self closing shower




Cover

**2030003258**  
EAQLT0002




Temperature handle

**2030050541**  
ASXT9004




Temperature stop

**2030003296**  
EAQLT0003




Thermocouple

**2030003300**  
EAQLT0004



Sensor, ID 12/00001

**2030041460**  
ASET2001



Solenoid valve cartridge

**2030003033**  
EAQFU0001



Mounting set

**2030003401**  
EAQLT0009



Screw rosette

**2030046777**  
ASXX9003



Hexagonal socket wrench

**2030047722**  
ACEX9011