


KWC F3S-Mix Self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1005

Taps | Self closing taps





KWC-No.

2030036196

Projection 160 mm

2030036195

Projection 100 mm

2030036197Projection 220 mm

2030039562

with projection 100 mm and aerator with flow regulator 3.0 $\mbox{\emph{l}/min}$

with projection 160 mm and aerator with flow regulator 3.0 l/min

2030040038

with projection 220 mm and aerator with flow regulator 3.0 l/min

F3S-Mix self-closing wall-mounted mixer DN 15 as single-mixer tap for wall mounting with lockable swivelling spout, for sanitary facilities. Self-closing mixing cartridge, hydraulically controlled, piston-free design, self-closing, stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. Connects to

spout projection

160 mm

100 mm

220 mm

100 mm 160 mm

220 mm

volume flow rate at 3 bar

_	0.1 l/s
_	0.1 l/s
_	0.1 l/s
_	0.05 l/s
	0.05 l/s
	0.05 l/s

hot and cold water. Casing, high-polished chromium-plated brass. Aerator with an integrated flow regulator 3.0 l/min. With adjustable connections, backflow preventer, strainers and screw rosettes. Projection 100 mm.

Technical Data

with backflow preventer
calculation flow rate cold wat
calculation flow rate hot wate
compatible A3000 open
depressurised
with filter
adjustable flow time
functional principle
hygiene flushing
diameter nominal
inlet size
Locking mechanism
material fitting
maximum flow time
minimum flow pressure
minimum flow time
type of mixing

yes	
0.07 l/s	
0.07 l/s	
no	
no	
yes	
yes	
hydraulic self-closing	
no	
DN 15	
G 1/2 B	
Top section, non-ceramic	
brass-look	
20 Seconds	
1 bar	
5 Seconds	



KWC F3S-Mix Self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1005 Taps | Self closing taps

Pop-up waste set	no	
with rosettes/cover plate	yes	
protective shutdown	no	
sound insulation	no	
Spout	rotating, bottom	
spout projection	100 mm	
surface finish fitting	chromed	
surface treatment fitting	polished	
temperature limit	yes	
thermal disinfection	no	
type of mounting	wall mounting	
type of operation	manual operation	
type of tap	bib tap	
volume flow rate at 3 bar	0.05 l/s	
water connection	S-connections	
Accent colour	none	
Basic colour	chrome-look (glossy)	

Optional Accessories





Theft-proof housing for aerator

2000104778 ZTAPS0005

Screw connection

2030041416 ACXX9001

Spare Parts









Handle push cap

Functional part

Mounting set

Swivel spout, 40 mm



KWC F3S-Mix

Self-closing wall-mounted mixer

Modell-Linie: F3S | F3SM1005 Taps | Self closing taps

2030046771 ASSM9003

2000104372 ETAPS0001

2030003401 EAQLT0009

2030049950 ASXX1009



3.0 I/min. aerator

2030041424 ASXX1008