


## KWC F3E electronic bib tap with battery operation

Modell-Linie: F3E | F3EV1022  
Taps | Electronic taps



### KWC-No.

2030036177

2030040224

with flow regulator 3.0 l/min

### volume flow rate at 3 bar

0.1 l/s

0.05 l/s

F3E bib tap DN 15 for wall mounting for sanitary facilities, optoelectronically controlled. For connection to pre-mixed hot or cold water. Control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, high-polished chromium-plated brass. Aerator with integrated flow regulator 3.0

l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control.

### Technical Data

with backflow preventer

no

calculation flow rate cold wat

0.1 l/s

compatible A3000 open

no

default automatic hygiene flus

24h after the last activity

depressurised

no

with filter

yes

functional principle

electronic self-closing

hygiene flushing

yes

diameter nominal

DN 15

Locking mechanism

Top section, non-ceramic

material fitting

brass-look

minimum flow pressure

1 bar

type of mixing

no

number of batteries

1

Parameterization

remote control

Pop-up waste set

no

power supply connection

Battery 6 V

power consumption

1.5 Voltampere

Type of power supply

Battery

protective system IP

IP59K

with rosettes/cover plate

no

protective shutdown

yes

sound insulation

no

Spout

fixed



## KWC

### F3E electronic bib tap with battery operation

Modell-Linie: F3E | F3EV1022

Taps | Electronic taps

spout projection	130 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	no
thermal disinfection	automatic thermal disinfection
with transformer/power supply	no
type of batteries	CR-P2 Lithium battery 6V
type of mounting	wall mounting
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of tap	bib tap
volume flow rate at 3 bar	0.05 l/s
water connection	threaded connection (external)
Accent colour	none
Basic colour	chrome-look (glossy)

#### Optional Accessories




**Bidirectional remote control for electronic fittings F3 and F5**

**2030036654**  
ACEX9005



**2-button remote control for fittings F3 and F5**

**2030036849**  
ACEX9004



**Extension adapter for F3E bib tap**

**2030043823**  
ACEV1001



**Theft-proof housing for aerator**

**2000104778**  
ZTAPS0005



**Aerator 6.0 l/min**

**2000104691**  
ASXX1015

## KWC

F3E electronic bib tap with battery operation

Modell-Linie: F3E | F3EV1022

Taps | Electronic taps

### Spare Parts




Cover cap

**2030049344**  
ASEV1004




Lithium battery 6 V

**2000104846**  
EPRTR0008



Solenoid valve cartridge

**2030045522**  
ACXX9002




Sensor, ID 01/00001

**2030041447**  
ASEX1001



3.0 l/min. aerator

**2030041424**  
ASXX1008



Spare part set

**2030042426**  
ASEX1011



O-ring, red

**2030042439**  
ASEV1002



O-ring, blue

**2030042440**  
ASEV1002