


KWC F5S-Mix Self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM1010
Taps | Self closing taps



KWC-No.
2030032992 Projection 195 mm
2030032991 Projection 135 mm
2030032993 Projection 255 mm
2030040314 with projection 135 mm and aerator with flow regulator 3.0 l/min
2030040316 with projection 195 mm and aerator with flow regulator 3.0 l/min
2030040317 with projection 255 mm and aerator with flow regulator 3.0 l/min

spout projection
195 mm
135 mm
255 mm
135 mm
195 mm
255 mm

volume flow rate at 3 bar
0.1 l/s
0.1 l/s
0.1 l/s
0.05 l/s
0.05 l/s
0.05 l/s

F5S mix self-closing wall-mounted mixer DN 15 as single-mixer tap for wall mounting with lockable swivelling spout, for sanitary facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow duration. With

adjustable, turn-proof temperature stop. Connects to hot and cold water. All-metal construction, high-polished chromium-plated brass. Aerator with an integrated flow regulator 3.0 l/min. With adjustable and lockable connections with backflow preventer and strainers, completely covered with depth-adjustable screw rosettes. Projection 255 mm.

Technical Data

with backflow preventer
calculation flow rate cold wat
calculation flow rate hot wate
compatible A3000 open
depressurised
with filter
adjustable flow time
functional principle
hygiene flushing
diameter nominal
inlet size
Locking mechanism
material fitting
maximum flow time
minimum flow pressure
minimum flow time
type of mixing

yes
0.07 l/s
0.07 l/s
no
no
yes
yes
hydraulic self-closing
no
DN 15
G 1/2 B
Top section, ceramic
brass-lock
35 Seconds
0.5 bar
5 Seconds
yes



KWC F5S-Mix Self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM1010
Taps | Self closing taps

Pop-up waste set	no
with rosettes/cover plate	yes
protective shutdown	no
sound insulation	no
Spout	rotating, bottom
spout projection	255 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	no
type of mounting	wall mounting
type of operation	manual operation
type of tap	bib tap
volume flow rate at 3 bar	0.05 l/s
water connection	S-connections
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



Theft-proof housing for aerator

2000104778
ZTAPS0005

Spare Parts



Screw rosette



Mounting set



Handle push cap



Temperature stop

KWC F5S-Mix Self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM1010
Taps | Self closing taps

2030046777
ASXX9003



Safety ring

2030048357
ASXX9003



Plug chromed

2030053006
ASXX9004

2030003401
EAQLT0009



FRAMIC self-closing mixing cartridge

2030046185
ASSM9001


2030050753
ASSM9004



3.0 l/min. aerator

2030041424
ASXX1008

2030046189
ASSM9002



Swivel spout, 160 mm

2030049955
ASXX1011