


F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020

Showers | Self closing showers





KWC-No.

2030054248

2030056581

with automatic shower pipe draining

F5S Mix shower panel made of stainless steel for wall mounting with DN 15 self-closing single control mixer and connecting nozzles for the shower head. FRAMIC self-closing mixing cartridge, hydraulically controlled, low maintenance and stagnation free, with ceramic disc technology, self-closing, flow pressure independent due to the medium-independent design. Stepless adjustment of flow duration. With adjustable, tum-proof temperature stop. For connection to hot water and cold water. All-metal construction, visible parts high-polished or chrome-plated. Connecting nozzles for

shower pipe draining

no			
yes			

the required additional DN 15 KWC shower head with pre-fitted flow regulator 9.0 l/min. Housing made of stainless steel with raised function surface and plastic cover caps. Connecting hoses with lockable water volume control with backflow preventer and strainer.

Dimensions of housing 235 x 1160 x 90 mm (W x H x D)

Shower head to be ordered separately.

Technical Data

recimical Data	
additional connections	
with backflow preventer	
circulation	
compatible A3000 open	
connection with pay water disp	
with filter	
adjustable flow time	
functional principle	
for hand shower	
hygiene flushing	
diameter nominal	
inlet size	
Locking mechanism	
material casing	
material code casing	
material fitting	
maximum flow time	
minimum flow pressure	
minimum flow time	
type of mixing	
overall depth	

no
yes
no
no
not possible
yes
yes
hydraulic self-closing
no
no
DN 15
G 1/2 A
Top section, ceramic
stainless steel
1.4301 Chrome Nickel steel V2A
brass
35 Seconds
1.5 bar
5 Seconds
yes
90 mm





F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020 Showers | Self closing showers

overall height	1,160 mm	
overall width	235 mm	
with rosettes/cover plate	yes	
protective shutdown	no	
shower pipe draining	no	,
Shower head	for separately shower head	
with shower set	no	,
sound insulation	no	,
surface finish casing	satin finished	,
surface finish fitting	chromed	,
surface treatment fitting	polished	,
temperature limit	yes	,
thermal disinfection	no	
type of mounting	wall mounting	
type of operation	manual operation	
type of shower	shower panel	,
volume flow rate at 3 bar	0.15 l/s	
water connection	hose (gland nut)	
position of water connection	from top / backside	
with soap dish	no	
Accent colour	chrome-look (glossy)	
Basic colour	stainless steel	

Mandatory Accessories







AQUAJET-Slimline shower head for KWC shower panels and systems

2030054255 SHAS0011 **2030054254** SHAC0011

AQUAJET-Comfort shower head for KWC shower panels and systems

MÜNCHEN shower head for KWC shower panels and systems

2030054793 SHMU0011

Optional Accessories



F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020

Showers | Self closing showers









Flow controller 6.0 I/min

2030027586 ESHHE0004

Flow controller 12.0 I/min

2000104783 ESHHE0002

Housing extension for F5 shower panels made of stainless steel

2030057066 ACXX2011

Housing extension for F5 shower panels made of stainless steel

2030057067 ACXX2012







Housing extension for F5 shower panels made of stainless steel



Housing extension for F5 shower panels made of stainless steel

2030057068 ACXX2013


Housing extension for F5 shower panels made of stainless steel

2030057069 ACXX2014

2030057070 ACXX2015

Shower gel dish for F5 shower panels made of stainless steel

2030057077 ACXX2021





Connection set for shower panel

2000104916

ZSHOW0006

Connection adapter

2000101441

AQRM928

Spare Parts



F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020 Showers | Self closing showers









Plug chromed

2030053006 ASSX9004





Handle push cap





2030048357 ASSX9003

Safety ring

Rosette

2030045510 ASXM2003





Flow controller 9,0 I/min

2000104782 ESHHE0001



Stainless steel care set

2000109019 ZWSPL0024



Cleaning product CHROMOL

2000105091 ZWSPL0023