# KWC

KWC F5S-Therm
Shower panel made of MIRANIT

Modell-Linie: F5S | F5ST2027
Showers | Self closing showers

KWC-No.

2030056545

F5S Therm shower panel made of mineral material for wall mounting with DN 15 self-closing thermostatic mixer and connecting nozzles for the shower head. Hydraulically controlled, for connection to hot water and cold water. Shower valve with integrated FRAMIC self-closing cartridge, thermostat and mechanism for an optional water hygiene unit for automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge required) and storage of statistical data. FRAMIC self-closing cartridge, low maintenance and stagnation free, with ceramic disc technology, self-closing, flow pressure independent due to the medium-independent design. Stepless adjustment of flow duration. Thermostat with metal handle, an adjustable and turn-proof

temperature stop and an option for manual thermal disinfection. All-metal construction, visible parts high-polished or chrome-plated. Connecting nozzles for the required additional DN 15 KWC shower head with pre-fitted flow regulator 9.0 l/min. Housing with raised function surface made of MIRANIT resin-bonded mineral material with pore-free smooth surface (temperature-resistant up to 80 °C), Alpine white colour. Connecting hoses with lockable water volume control with backflow preventer and strainer.

Dimensions of housing 235 x 1160 x 100 mm (W x H x D)

Shower head to be ordered separately.

Technical Data

additional connections	no
with backflow preventer	yes
circulation	no
compatible A3000 open	no
connection with pay water disp	not possible
with filter	yes
adjustable flow time	yes
functional principle	hydraulic self-closing
for hand shower	no
hygiene flushing	prepared
diameter nominal	DN 15
inlet size	G 1/2 A
Locking mechanism	Top section, ceramic
material casing	mineral material
material code casing	Miranit
material fitting	brass-look
maximum flow time	35 Seconds
minimum flow pressure	1.5 bar
minimum flow time	5 Seconds
type of mixing	with thermostat
overall depth	100 mm

Modell-Linie: F5S | F5ST2027
Showers | Self closing showers

|	
overall height	1,160 mm
overall width	235 mm
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
Shower head	for separately shower head
with shower set	no
sound insulation	no
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
type of mounting	wall mounting
type of operation	manual operation
type of shower	shower panel
volume flow rate at 3 bar	0.15 l/s
water connection	hose (gland nut)
position of water connection	from top / backside
Accent colour	chrome-look (glossy)
Basic colour	white

Mandatory Accessories

AQUAJET-Slimline shower head for KWC shower panels and systems

2030054255
SHAS0011

AQUAJET-Comfort shower head for KWC shower panels and systems

2030054254
SHAC0011

MÜNCHEN shower head for KWC shower panels and systems

2030054793
SHMU0011

Optional Accessories

Flow controller 6.0 l/min

2030027586
ESHHE0004

Flow controller 12.0 l/min

2000104783
ESHHE0002

**Hygiene unit for F5S Therm shower panel**

2030057064
ACST2004

Housing extension for F5 shower panels made of MIRANIT

2030057071
ACXX2016

Housing extension for F5 shower panels made of MIRANIT

2030057072
ACXX2017

**Housing extension for F5 shower panels made of MIRANIT**

2030057073
ACXX2018

Housing extension for F5 shower panels made of MIRANIT

2030057075
ACXX2019

Housing extension for F5 shower panels made of MIRANIT

2030057076
ACXX2020

Connection set for shower panel

2000104916
ZSHOW0006

Connection adapter

2000101441
AQRM928

Spare Parts

Flow controller 9,0 l/min

**2000104782**
ESHHE0001

Cover

2030031443
ESHOW0059

Temperature handle

2030047082
ASXT9003

Temperature stop

2030003296
EAQLT0003

**Plug chromed**

2030053006
ASSX9004

Push cap

2030049943
ASST2001

Safety ring

2030048357
ASSX9003

Rosette

2030048765
ASET2006

FRAMIC Self-closing cartridge

2030046145
ASSX9001