KWC

## KWC F5S-Mix
Shower panel made of MIRANIT with shower gel shelf

Modell-Linie: F5S | F5SM2016
Showers | Self closing showers

KWC-No.	shower pipe draining
2030056552	no
2030056588 with automatic shower pipe draining	yes

F5S Mix shower panel made of mineral material for wall mounting with DN 15 self-closing single control mixer and connecting nozzles for the shower head. FRAMIC self-closing mixing cartridge, hydraulically controlled, low maintenance and stagnation free, with ceramic disc technology, self-closing, flow pressure independent due to the medium-independent design. Stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. For connection to hot water and cold water. All-metal construction, visible parts high-polished or chrome-plated. Connecting nozzles for the required additional DN 15 KWC shower head with pre-fitted

flow regulator 9.0 l/min. Housing with raised function surface and seamless moulded shower gel shelf made of MIRANIT resin-bonded mineral material with pore-free smooth surface (temperature-resistant up to 80 °C), Alpine white colour. Connecting hoses with lockable water volume control with backflow preventer and strainer. Version with automatic shower pipe draining.

Dimensions of housing 235 x 1160 x 100 mm (W x H x D)

Shower head to be ordered separately.

Technical Data

additional connections	no
with backflow preventer	yes
circulation	no
compatible A3000 open	no
connection with pay water disp	not possible
with filter	yes
adjustable flow time	yes
functional principle	hydraulic self-closing
for hand shower	no
hygiene flushing	no
diameter nominal	DN 15
inlet size	G 1/2 A
Locking mechanism	Top section, ceramic
material casing	mineral material
material code casing	Miranit
material fitting	brass-look
maximum flow time	35 Seconds
minimum flow pressure	1.5 bar
minimum flow time	5 Seconds
type of mixing	yes
overall depth	100 mm

FRAMIC
INSIDE

KWC

KWC F5S-Mix
Shower panel made of MIRANIT with shower gel shelf

Modell-Linie: F5S | F5SM2016
Showers | Self closing showers

|	
overall height	1,160 mm
overall width	235 mm
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	yes
Shower head	for separately shower head
with shower set	no
sound insulation	no
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	no
type of mounting	wall mounting
type of operation	manual operation
type of shower	shower panel
volume flow rate at 3 bar	0.15 l/s
water connection	hose (gland nut)
position of water connection	from top / backside
with soap dish	integrated
Accent colour	chrome-look (glossy)
Basic colour	white

Mandatory Accessories

AQUAJET-Slimline shower head for KWC shower panels and systems

2030054255
SHAS0011

AQUAJET-Comfort shower head for KWC shower panels and systems

2030054254
SHAC0011

MÜNCHEN shower head for KWC shower panels and systems

2030054793
SHMU0011

Optional Accessories

Flow controller 6.0 l/min

2030027586
ESHHE0004

**Flow controller 12.0 l/min**

2000104783
ESHHE0002

Housing extension for F5 shower panels made of MIRANIT

2030057071
ACXX2016

Housing extension for F5 shower panels made of MIRANIT

2030057072
ACXX2017

**Housing extension for F5 shower panels made of MIRANIT**

2030057073
ACXX2018

Housing extension for F5 shower panels made of MIRANIT

2030057075
ACXX2019

Housing extension for F5 shower panels made of MIRANIT

2030057076
ACXX2020

Connection set for shower panel

2000104916
ZSHOW0006

Connection adapter

2000101441
AQRM928

Spare Parts

Plug chromed

2030053006
ASSX9004

Handle push cap

2030050753
ASSM9004

Temperature stop

2030046189
ASSM9002

Safety ring

2030048357
ASSX9003

Rosette

2030045510
ASXM2003

FRAMIC self-closing mixing cartridge

2030046185
ASSM9001

Flow controller 9,0 l/min

2000104782
ESHHE0001