




KWC F5E-Therm

Shower panel made of MIRANIT with diverter between overhead shower and hand shower

Modell-Linie: F5E | F5ET2050
Duschar | Elektronisk självstängande dusch



KWC-No.

2030062975

NEW

F5E-Therm shower panel made of mineral material for wall mounting with thermostatic mixer and diverter between overhead shower and hand shower. Electrically controlled, connects to hot water and cold water. Function block with integrated solenoid valve cartridge, thermostat and mechanism for optional bypass solenoid valve cartridge to perform program-controlled thermal disinfection. Thermostat with metal handle with adjustable and turn-proof temperature stop and option for manual thermal disinfection. All-metal construction, visible parts polished chrome-plated. Connecting nozzles for separately required DN 15 KWC shower head with pre-fitted flow regulator 9.0 l/min. Housing with raised function surface made of MIRANIT resin-bonded mineral material with pore-free smooth surface (temperature-resistant up to 80 °C), Alpine white colour. Hand shower connection on the left and chrome-plated plastic hand shower holder on the right, both pre-assembled

on the side. Button sensor including control electronics with start/stop function and deactivation of cleaning. Connector hoses with lockable water flow control with backflow preventer and strainer. Activated water hygiene flushing 24 hours after last activation and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control. Optionally for battery operation with 6 V lithium battery (CR-P2) per fitting or separate power supply via 6.75 V/12 V DC power supply unit or AQUA 3000 open system accessories.


Housing dimensions 235 x 1160 x 100 mm (W x H x D)

Shower head, hand shower with shower hose and battery compartment including battery or power supply unit with extension cable must be ordered separately.

Technical Data

extra anslutning
med återströmningsskydd
Cirkulation
A3000 open-kompatibel
Samband med lön myntopererad behållare
Standard automatisk hygien spolning
Felaktig flödestid
med filter
Justerbar flödestid
Funktionell princip
för handdusch
Hygienspolning
Nominell diameter
Inbyggnadsmått
Låsmekanism
Material hölje
materialkod hölje
Material delar
Maximal flödestid
Minimalt flödestryck

för handdusch med strömbrytare
Ja
Nej
Ja
via elektronisk modul
24 timmar efter den senaste operationen
30 Sekunder
Ja
Ja
Elektronisk självstängande
Ja
Ja
DN 15
G-1-2-A
Övre delen icke-keramisk
Mineralmaterial
Miranit
Mässing
255 Sekunder
1.5 bar





KWC F5E-Therm
Shower panel made of MIRANIT with diverter between overhead shower and hand shower

Modell-Linie: F5E | F5ET2050
Duschar | Elektronisk självstängande dusch

Minimal flödes tid	1 Sekunder
Typ av blandning	Med termostat
Övergripande djup	100 mm
Total höjd	1.160 mm
Total bredd	235 mm
Parametrisering	Fjärrkontroll
Kraft försörjnings anslutning	6-12-3000VDC
Kraftanslutning	Från toppen / baksidan
Typ av strömförsörjning	Övriga
med rosetter/täckplatta	Ja
Säkerhetsavstängning	Ja
Dusch rör dränering	Nej
Duschhuvud	för separat duschhuvud
med duschset	Nej
Ljud isolering	Nej
yt finish	Förkromad
Passande ytfinish	polerad
Temperaturstopp	Ja
terminal för desinfektion	Ja
ATT-WS-TRANSFORMER	Nej
Typ av montering	Väggmontering
Typ av operation	Sensor styrning
Typ av sensor	Utan elektronisk sensor
Typ av dusch	Duschpanel
Volymflöde vid 3 bar	0.15 l/s
Vattenanslutning	Slang
Vattenanslutning	Från toppen / baksidan
med tvålköpp	Nej
Accentfärg	Kromat utseende (glansigt)
Basfärg	Vit

Nödvändiga tillbehör



Duschhuvud

2030054254
SHAC0011

Duschhuvud

2030054255
SHAS0011

Duschhuvud


2030054793
SHMU0011

Battery compartment

3600002063
ACEX9023


KWC F5E-Therm
Shower panel made of MIRANIT with diverter between overhead shower and hand shower

Modell-Linie: F5E | F5ET2050
Duschar | Elektronisk självstängande dusch



Power supply unit


2030039477
ACEX9001



Extension cable 5 m


2030043814
ACEX9010

Extratillbehör



Flow controller 6.0 l/min

2030027586
ESHHE0004



Flow controller 12.0 l/min

2000104783
ESHHE0002




Hand shower

2030051216
ACXX2007



Shower bracket

2030051217
ACXX2008



Set for thermal disinfection

2030057940
ACXT2001



Bidirectional remote control for electronic fittings F3 and F5

2030036654
ACEX9005



2-button remote control for fittings F3 and F5

2030036849
ACEX9004



Housing extension for F5 shower panels made of MIRANIT

2030057071
ACXX2016



KWC F5E-Therm

Shower panel made of MIRANIT with diverter between overhead shower and hand shower

Modell-Linie: F5E | F5ET2050

Duschar | Elektronisk självstängande dusch



Housing extension for F5 shower panels made of MIRANIT

2030057072
ACXX2017



Housing extension for F5 shower panels made of MIRANIT

2030057073
ACXX2018




Housing extension for F5 shower panels made of MIRANIT

2030057075
ACXX2019




Housing extension for F5 shower panels made of MIRANIT

2030057076
ACXX2020



Elektronikmodul EM5


2030041918
ACET2001



Connection set for shower panel

2000104916
ZSHOW0006

Reservdelar



Solenoid valve cartridge

2030003033
EAQFU0001