


KWC

F5L-Mix

Single-lever pillar mixer

Modell-Linie: F5L | F5LM1033 | 2030066466 | EAN/GTIN: 7612982288890  
Taps | Manual taps



Article Number

2030066466

2030066467

2030066468

F5L-Mix single-lever pillar mixer DN 15 for sanitary facilities. Mixer cartridge with ceramic disc technology and adjustable, turn-proof temperature stop. With mechanism for optional hygiene unit for automatic hygiene flushing, program-controlled thermal disinfection and storage of statistical data. For connection to hot

water and cold water via hoses, includes strainers. All-metal construction, high-polished chrome-plated brass. Anti-theft aerator, SLIM design, with integrated flow rate controller 5.0 l/min, projection 100 mm.

Technical Data

|                           |
|---------------------------|
| with backflow preventer   |
| depressurised             |
| with filter               |
| functional principle      |
| hygiene flushing          |
| diameter nominal          |
| inlet size                |
| Locking mechanism         |
| material fitting          |
| minimum flow pressure     |
| Pop-up waste set          |
| with rosettes/cover plate |
| sound insulation          |
| Spout                     |
| spout projection          |
| surface finish fitting    |
| surface treatment fitting |
| temperature limit         |
| thermal disinfection      |
| type of mounting          |
| type of operation         |

|                          |
|--------------------------|
| false                    |
| false                    |
| true                     |
| manual                   |
| prepared                 |
| DN 15                    |
| G 3/8                    |
| Top section, non-ceramic |
| brass-look               |
| 1 bar                    |
| false                    |
| false                    |
| false                    |
| fixed                    |
| 100 mm                   |
| chromed                  |
| polished                 |
| true                     |
| true                     |
| tap hole                 |
| manual operation         |

KWC

F5L-Mix

Single-lever pillar mixer

Modell-Linie: F5L | F5LM1033 | 2030066466 | EAN/GTIN: 7612982288890  
Taps | Manual taps


|                           |                      |
|---------------------------|----------------------|
| type of tap               | pillar tap           |
| volume flow rate at 3 bar | 0.08 l/s             |
| water connection          | hose (gland nut)     |
| Accent colour             | none                 |
| Basic colour              | chrome-look (glossy) |

Optional Accessories



Socket for F5L single-lever pillar mixer

2030041325  
ACLM1010



Anti-twist protection

2030041324  
ACLM1009



5.0 l/min aerator, angle-adjustable

2030041326  
ACXX1002



Hygiene unit for F5L single-lever mixers

2030068985  
ACLX1001



Hygiene unit for in-wall installation for F5L single lever mixers

2030068987  
ACLX1005

Spare Parts

KWC

F5L-Mix

Single-lever pillar mixer

Modell-Linie: F5L | F5LM1033 | 2030066466 | EAN/GTIN: 7612982288890

Taps | Manual taps



Lever cap

2030041380


ASLM1001



Dust cap

2030010039

EAQFT0004



Quick-action fastener

2030010045


EAQFT0005



Hose

2030041311


ASXX1005



Aerator 5.0 l/min

2030041011

ASXX1004



Mounting key

2030041329

ACXX1003