


## KWC F5L-Therm Thermostatic single-lever pillar mixer

Modell-Linie: F5L | F5LT1002  
Taps | Manual taps



### KWC-No.

**2030066481**

F5L-Therm thermostatic single-lever mixer as DN 15 pillar mixer for sanitary facilities. Thermostatically-controlled mixer cartridge with expansion element and active scald protection as well as adjustable and turn-proof temperature stop, and ceramic disc technology. With mechanism for optional hygiene unit for automatic

hygiene flushing, program-controlled thermal disinfection and storage of statistical data. For connection to hot water and cold water via hoses, includes strainers. All-metal construction, high-polished chrome-plated brass. Anti-theft aerator, SLIM design, with integrated flow rate controller 5.0 l/min, projection 125 mm.

### Technical Data

with backflow preventer

depressurised

with filter

functional principle

hygiene flushing

diameter nominal

inlet size

Locking mechanism

material fitting

minimum flow pressure

type of mixing

Pop-up waste set

with rosettes/cover plate

sound insulation

Spout

spout projection

surface finish fitting

surface treatment fitting

temperature limit

thermal disinfection

type of mounting

type of operation

type of tap

volume flow rate at 3 bar

water connection

no

no

yes

manual

prepared

DN 15

G 3/8

Top section, ceramic

brass

1 bar

with thermostat

no

no

no

fixed

125 mm

chromed

polished

yes

yes

tap hole

manual operation

pillar tap

0.08 l/s

hose (gland nut)



## KWC F5L-Therm Thermostatic single-lever pillar mixer

Modell-Linie: F5L | F5LT1002  
Taps | Manual taps

Accent colour

none

Basic colour


chrome-look (glossy)

### Optional Accessories



Socket for F5L single-lever pillar mixer

**2030041325**  
ACLM1010



Anti-twist protection

**2030041324**  
ACLM1009



5.0 l/min aerator, angle-adjustable

**2030041326**  
ACXX1002



Hygiene unit for F5L single lever mixers


**2030068986**  
ACLX1003



Hygiene unit for in-wall installation  
for F5L single lever mixers

**2030068988**  
ACLX1007


### Spare Parts



Quick-action fastener



Hose



Aerator 5.0 l/min



Mounting key



**KWC F5L-Therm**  
Thermostatic single-lever pillar mixer

**Modell-Linie: F5L | F5LT1002**  
Taps | Manual taps

**2030010045**  
EAQFT0005

---

**2030041311**  
ASXX1005

---

**2030041011**  
ASXX1004

---

**2030041329**  
ACXX1003

---