


KWC F5L-Therm

Thermostatic single-lever pillar mixer with pop-up waste

Modell-Linie: F5L | F5LT1003
Taps | Manual taps



KWC-No.

2030066482

F5L-Therm thermostatic single-lever mixer as DN 15 pillar mixer for sanitary facilities. Thermostatically-controlled mixer cartridge with expansion element and active scald protection as well as adjustable and turn-proof temperature stop, and ceramic disc technology. For connection to hot water and cold water via hoses,

includes strainers. All-metal construction, high-polished chrome-plated brass. Anti-theft aerator, SLIM design, with integrated flow rate controller 5.0 l/min, projection 125 mm. With pop-up waste set drain fitting G 1 1/4 mm, chrome-plated.

Technical Data

| |
|---------------------------|
| with backflow preventer |
| depressurised |
| with filter |
| functional principle |
| hygiene flushing |
| diameter nominal |
| inlet size |
| Locking mechanism |
| material fitting |
| minimum flow pressure |
| type of mixing |
| Pop-up waste set |
| with rosettes/cover plate |
| protective shutdown |
| sound insulation |
| Spout |
| spout projection |
| surface finish fitting |
| surface treatment fitting |
| temperature limit |
| thermal disinfection |
| type of mounting |
| type of operation |
| type of tap |
| volume flow rate at 3 bar |

| |
|----------------------|
| no |
| no |
| yes |
| manual |
| no |
| DN 15 |
| G 3/8 |
| Top section, ceramic |
| brass-look |
| 1 bar |
| with thermostat |
| yes |
| no |
| no |
| fixed |
| 125 mm |
| chromed |
| polished |
| yes |
| no |
| tap hole |
| manual operation |
| pillar tap |
| 0.08 l/s |



KWC F5L-Therm

Thermostatic single-lever pillar mixer with pop-up waste

Modell-Linie: F5L | F5LT1003

Taps | Manual taps

water connection

hose (gland nut)


Accent colour

none

Basic colour

chrome-lock (glossy)

Optional Accessories



Anti-twist protection


2030041324
ACLM1009



5.0 l/min aerator, angle-adjustable

2030041326
ACXX1002

Spare Parts




Quick-action fastener

2030010045
EAQFT0005



Hose

2030041311
ASXX1005



Aerator 5.0 l/min

2030041011
ASXX1004



Mounting key

2030041329
ACXX1003



Pop-up waste set



KWC F5L-Therm

Thermostatic single-lever pillar mixer with pop-up waste

Modell-Linie: F5L | F5LT1003

Taps | Manual taps

2030045528

ASLM1004
