


KWC F5L-Therm Thermostatic single-lever wall-mounted mixer

Modell-Linie: F5L | F5LT2001
Showers | Manual shower



KWC-No.

2030066495

F5L-Therm thermostatic single-lever mixer as DN 15 wall-mounted mixer for wall mounting, for shower facilities. Thermostatically-controlled mixer cartridge with expansion element and active scald protection as well as adjustable and turn-proof temperature stop, and ceramic disc technology. With mechanism for optional hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve

cartridge necessary) and storage of statistical data. For connection to hot and cold water. Scald-protection Safe-Touch housing with outlet on top, G 3/4 B, for installation of waste elbow or wall-mounted shower pipe. All-metal construction, high-polished chrome-plated brass. With adjustable and lockable connections with backflow preventers and strainers, fully covered by depth-adjustable screw rosettes.

Technical Data

additional connections	no
with backflow preventer	yes
circulation	no
connection with pay water disp	not possible
with filter	yes
functional principle	manual
for hand shower	no
hygiene flushing	prepared
diameter nominal	DN 15
inlet size	G 1/2 B
Locking mechanism	Top section, ceramic
material casing	brass
material fitting	brass
minimum flow pressure	1 bar
type of mixing	with thermostat
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
sound insulation	no
surface finish casing	chromed
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes



KWC F5L-Therm Thermostatic single-lever wall-mounted mixer

Modell-Linie: F5L | F5LT2001
Showers | Manual shower

type of mounting	wall mounting
type of operation	manual operation
type of shower	wall fitting
volume flow rate at 3 bar	0.25 l/s
water connection	S-connections
position of water connection	from backside
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



AQUAJET-Comfort shower head

2030021283
SHAC0008



AQUAJET-Slimline shower head

2000103757
AQUA757



Bent outlet

2030050434
ACXX2005




Bent outlet

2030050435
ACXX2006



Shower pipe

2030041525
ACXX2003



Hygiene unit for F5L single-lever wall mixers

2030039446
ACLM9001




Solenoid valve cartridge

2030045522
ACXX9002

Spare Parts

KWC F5L-Therm Thermostatic single-lever wall-mounted mixer

Modell-Linie: F5L | F5LT2001
Showers | Manual shower



Mounting set

2030003401
EAQLT0009

Screw rosette

2030046777
ASXX9003