


## KWC F5L-Therm Stainless steel shower panel with hand shower fitting

Modell-Linie: F5L | F5LT2021  
Showers | Manual shower



### KWC-No.

**2030066510**

F5L-Therm stainless-steel shower panel for wall mounting with single-lever thermostat DN 15 and hand shower fitting kit. For connection to hot and cold water. Function block with integrated mixing cartridge and pre-assembled hygiene unit including sensor with control electronics to perform automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge necessary) and storage of statistical data. Thermostatically-controlled mixer cartridge with expansion element and active scald protection as well as adjustable and turn-proof temperature stop, and ceramic disc technology. All-metal construction, visible parts high-polished, chrome-plated. Pre-fitted chrome-plated brass shower rail with height-adjustable hand shower holder and chrome-plated brass hand shower, shower head with rain jet, diameter 110 mm, shower

hose 900 mm. Housing made of stainless steel with raised function surface and cover caps made of plastic. With adjustable and lockable connections with backflow preventer and strainers. Activated hygiene flushing, fixed interval of 24 hours. With option for parameterization and communication via optional, bidirectional remote control. Optional hygiene unit for battery operation with 6 V lithium battery (CR-P2) per fitting or separate power supply via plug-in power supply unit 6.75 V/12 V DC.

Housing dimensions 235 x 1160 x 90 mm (W x H x D)

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

### Technical Data

additional connections

no

with backflow preventer

yes

circulation

no

compatible A3000 open

no

connection with pay water disp

not possible

default automatic hygiene flus

fixed interval 24 hours

with filter

yes

adjustable flow time

no

functional principle

manual

for hand shower

yes

hygiene flushing

yes

diameter nominal

DN 15

inlet size

G 1/2 A

Locking mechanism

Top section, ceramic

material casing

stainless steel

material code casing

1.4301 Chrome Nickel steel V2A

material fitting

brass

minimum flow pressure


1 bar

type of mixing

with thermostat

overall depth

90 mm



## KWC F5L-Therm


Stainless steel shower panel with hand shower fitting

Modell-Linie: F5L | F5LT2021

Showers | Manual shower


overall height	1,160 mm
overall width	235 mm
Parameterization	remote control
power supply connection	6,75 / 12 VDC
position of power connection	from top / backside
Type of power supply	Other
protective system IP	IP59K
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
with shower set	yes
sound insulation	no
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
with transformer/power supply	no
type of mounting	wall mounting
type of operation	manual operation
type of sensor	opto-electronic sensor
type of shower	shower panel
volume flow rate at 3 bar	0,15 l/s
water connection	hose (gland nut)
position of water connection	from top / backside
with soap dish	no
Accent colour	chrome-look (glossy)
Basic colour	stainless steel

### Mandatory Accessories



**Power supply unit**

**2030039477**  
ACEX9001



**Extension cable 5 m**

**2030043814**  
ACEX9010

### Optional Accessories

## KWC F5L-Therm

Stainless steel shower panel with hand shower fitting

Modell-Linie: F5L | F5LT2021  
Showers | Manual shower



**Bidirectional remote control for electronic fittings F3 and F5**

**2030036654**  
ACEX9005




**2-button remote control for fittings F3 and F5**

**2030036849**  
ACEX9004




**Solenoid valve cartridge**

**2030003033**  
EAQFU0001




**Housing extension for F5 shower panels made of stainless steel**

**2030057066**  
ACXX2011




**Housing extension for F5 shower panels made of stainless steel**

**2030057067**  
ACXX2012




**Housing extension for F5 shower panels made of stainless steel**

**2030057068**  
ACXX2013




**Housing extension for F5 shower panels made of stainless steel**

**2030057069**  
ACXX2014



**Housing extension for F5 shower panels made of stainless steel**

**2030057070**  
ACXX2015



**Shower gel dish for F5 shower panels made of stainless steel**

**2030057077**  
ACXX2021

## Spare Parts

## KWC F5L-Therm

Stainless steel shower panel with hand shower fitting


Modell-Linie: F5L | F5LT2021

Showers | Manual shower



**Hand shower**

**2030051216**  
ACXX2007




**Flow regulator with filter**

**2030051583**  
ASXX2003

**Rosette**

**2030048765**  
ASET2006



**Solenoid valve cartridge**

**2030003033**  
EAQFU0001



**Stainless steel care set**

**2000109019**  
ZWSPL0024