


Shower panel made of MIRANIT with shower gel shelf

Modell-Linie: F5L | F5LT2026

Showers | Manual shower





KWC-No.

2030066546

F5L-Therm shower panel made from mineral material for wall mounting with single-lever thermostat DN 15 and connecting nozzle for shower head. For connection to hot and cold water. Function block with integrated mixing cartridge and pre-assembled hygiene unit including sensor with control electronics to perform automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge necessary) and storage of statistical data. Thermostatically-controlled mixer cartridge with expansion element and active scald protection as well as adjustable and turn-proof temperature stop, and ceramic disc technology. All-metal construction, visible parts high-polished, chrome-plated. Connecting nozzles for separate required DN 15 KWC shower head with pre-fitted flow regulator 9.0 l/min. Housing with raised function surface and seamless moulded

shower gel shelf made of MIRANIT resin-bonded mineral material with pore-free smooth surface (temperature-resistant up to 80 °C), Alpine white colour. With adjustable and lockable connections with backflow preventer and strainers. Activated hygiene flushing, fixed interval of 24 hours. With option for parameterization and communication via optional, bidirectional remote control. Optional hygiene unit for battery operation with 6 V lithium battery (CR-P2) per fitting or separate power supply via plug-in power supply unit 6.75 V/12 V DC.

Housing dimensions 235 x 1160 x 100 mm (W x H x D)

Shower head and battery compartment including battery or power supply unit with extension cable must be ordered separately.

Technical Data

additional connections	·
with backflow preventer	
circulation	
compatible A3000 open	
connection with pay water disp	
default automatic hygiene flus	
with filter	
adjustable flow time	
functional principle	
for hand shower	
hygiene flushing	
diameter nominal	
inlet size	
Locking mechanism	
material casing	·
material code casing	
material fitting	
minimum flow pressure	
type of mixing	
overall depth	

no	
yes	
no	
no	
not possible	
fixed interval 24 hours	
yes	
no	
manual	
no	
yes	
DN 15	
G 1/2 A	
Top section, ceramic	
mineral material	
Miranit	
brass	
1 bar	
with thermostat	
100 mm	











Shower panel made of MIRANIT with shower gel shelf

Modell-Linie: F5L | F5LT2026

Showers | Manual shower

overall height	1,160 mm
overall width	235 mm
Parameterization	remote control
power supply connection	6,75/12 VDC
position of power connection	from top / backside
Type of power supply	Other
protective system IP	IP59K
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
Shower head	for separately shower head
with shower set	no
sound insulation	no
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
with transformer/power supply	no
type of mounting	wall mounting
type of operation	manual operation
type of sensor	opto-electronic sensor
type of shower	shower panel
volume flow rate at 3 bar	0.15 l/s
water connection	hose (gland nut)
position of water connection	from top / backside
with soap dish	integrated
Accent colour	chrome-look (glossy)
Basic colour	white

Mandatory Accessories









AQUAJET-Slimline shower head for KWC shower panels and systems

2030054255 SHAS0011 AQUAJET-Comfort shower head for KWC shower panels and systems

2030054254 SHAC0011 MÜNCHEN shower head for KWC shower panels and systems

2030054793 SHMU0011 Power supply unit


2030039477 ACEX9001



Shower panel made of MIRANIT with shower gel shelf

Modell-Linie: F5L | F5LT2026

Showers | Manual shower



Extension cable 5 m


2030043814 ACEX9010

Optional Accessories









Flow controller 6.0 I/min

2030027586 ESHHE0004 Flow controller 12.0 I/min

2000104783 ESHHE0002 Solenoid valve cartridge


2030003033 EAQFU0001

Housing extension for F5 shower panels made of MIRANIT

2030057071 ACXX2016









Housing extension for F5 shower panels made of MIRANIT

2030057072 ACXX2017 Housing extension for F5 shower panels made of MIRANIT

2030057073 ACXX2018 Housing extension for F5 shower panels made of MIRANIT

2030057075 ACXX2019 Housing extension for F5 shower panels made of MIRANIT

2030057076 ACXX2020



Shower panel made of MIRANIT with shower gel shelf

Modell-Linie: F5L | F5LT2026 Showers | Manual shower





2-button remote control for fittings F3 and F5

2030036849 ACEX9004

Bidirectional remote control for electronical fittings F3 and F5

2030036654 ACEX9005









Flow controller 9,0 I/min

2000104782 ESHHE0001

2030048765 ASET2006

Rosette

Solenoid valve cartridge

2030003033 EAQFU0001