


F5S-Therm self-closing thermostatic in-wall mixer

Modell-Linie: F5S | F5ST2036

Showers | Self closing showers





KW C-No.

2030067154

2030067163

With automatic shower pipe emptying

2030067158

Version without option for automatic water hygiene flushing or thermal disinfection

2030067167

with automatic shower pipe draining

F5S-Therm self-closing thermostatic mixer DN 15 as finished installation kit for wall mounting in mounting kit, for shower facilities. Hydraulically controlled, connects to hot water and cold water. Function block with integrated FRAMIC self-closing cartridge, thermostat and mechanism for an optional water hygiene unit for automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge necessary) and storage of statistical data. Additional mechanism for second bypass solenoid valve cartridge for separate rinsing of the cold-water line and separate sampling of cold or hot water. FRAMIC self-closing cartridge, low maintenance

shower pipe draining thermal disinfection

no	yes
yes	yes
no	no
yes	no

and stagnation free, with ceramic disc technology, self closing, flow pressure independent due to medium-independent design. Continuously adjustable flow duration. Thermostat with metal handle with adjustable and turn-proof temperature stop and option for manual thermal disinfection. All-metal construction, visible parts high-polished, chrome-plated. Holding frame including profile seal, stainless steel cover 190×245 mm with covered screw fixing, chrome-plated plastic rosettes, non-return valve and strainers. Depth adjustability 25 mm. Version with automatic shower pipe emptying.

Technical Data

additional connections	no
with backflow preventer	yes
Built-in fitting model	Finishing section
calculation flow rate cold wat	0.15 l/s
calculation flow rate hot wate	0.15 l/s
circulation	no
compatible A3000 open	no
connection with pay water disp	not possible
with filter	yes
adjustable flow time	yes
functional principle	hydraulic self-cla
for hand shower	no
hygiene flushing	prepared
diameter nominal	DN 15
inlet size	G 3/4 B
Locking mechanism	Top section, cerc
material casing	stainless steel

no	
yes	
Finishing section	
0.15 l/s	
0.15 l/s	
no	
no	
not possible	
yes	
yes	
nydraulic self-closing	
10	
prepared	
DN 15	
G 3/4 B	
Top section, ceramic	
stainless steel	



 ${\it F5S-Therm self-closing\ thermostatic\ in-wall\ mixer}$

Modell-Linie: F5S | F5ST2036 Showers | Self closing showers

material fitting	brass-look
maximum flow time	35 Seconds
minimum flow pressure	1 bar
minimum flow time	5 Seconds
type of mixing	with thermostat
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	yes
sound insulation	no
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
type of mounting	in-wall installation with box
type of operation	manual operation
type of shower	in-wall fitting
volume flow rate at 3 bar	0.2 l/s
water connection	threaded connection (external)
position of water connection	from side
Accent colour	chrome-look (glossy)
Basic colour	stainless steel-look

Mandatory Accessories



R5 System box for in-wall mixer


2030028990 F5BX2001

Optional Accessories



F5S-Therm self-closing thermostatic in-wall mixer

Modell-Linie: F5S | F5ST2036 Showers | Self closing showers





Extension set

2030067889 ACXT9001

Set for flushing the cold-water line

2030071564 ACXT2005

Spare Parts









Cover

2030003258 EAQLT0002

Temperature handle

2030047082 ASXT9003



2030003296 EAQLT0003

Plug chromed

2030053006 ASSX9004









Push cap

2030049943 ASST2001

Safety ring

2030048357 ASSX9003

Rosette

2030048765 ASET2006

FRAMIC Self-closing cartridge

2030046145

ASSX9001



 ${\it F5S-Therm self-closing\ thermostatic\ in-wall\ mixer}$

Modell-Linie: F5S | F5ST2036 Showers | Self closing showers









Holding frame

2030045472 ASXX9004

Cover plate stainless steel

2030050138 ASST2004

Stainless steel care set

2000109019 ZWSPL0024

Cleaning product CHROMOL

2000105091 ZWSPL0023