


### **KWC** F3S

Self-closing washbasin tap for rear panel mounting

#### Modell-Linie: F3S | F3SV1009

Taps | Self closing taps





#### KWC-No.

#### 2030067876

F3S self-closing straight-way valve DN 15 for sanitary facilities, with remote control for concealed mounting. Especially suitable for facilities at risk of vandalism. Self-closing head part, hydraulically racilities at risk or variadism. Self-closing head part, hydraulically controlled for remote control, piston-free design, self-closing, for connection to pre-mixed hot water or cold water. All-metal construction, visible parts polished chromium-plated. Stainless steel cover plate 190 x 245 x 2 mm for invisible mounting via threaded rods up to a wall thickness of 50 to 500 mm, with recess for KWC wall outlet DN 15 (required separately), pre-mounted push-button actuation. Flush-mounted box, hydraulic control lines with empty conduit (2 m) and mounting material. Connection and maintenance via service room

Wall outlet must be ordered separately.

# NEW

Built-in fitting model	
compatible A3000 open	
Cover plate height	
Cover plate width	
depressurised	
adjustable flow time	
functional principle	
hygiene flushing	
diameter nominal	
inlet size	
Locking mechanism	
material casing	
material code casing	
material fitting	
maximum flow time	
minimum flow pressure	
minimum flow time	
type of mixing	
Pop-up waste set	
with rosettes/cover plate	
protective shutdown	<u>-</u>
sound insulation	
Spout	
surface finish casing	<u> </u>

Finishing section	
no	
245 mm	
190 mm	
no	
yes	
hydraulic self-closing	
no	
DN 15	
G 1/2 B	
Top section, non-ceramic	
stainless steel	
1.4301 Chrome Nickel steel V2A	
brass-look	
20 Seconds	
1 bar	
10 Seconds	
no	
no	
yes	
no	
no	
fixed	
satin finished	





### **KWC** F3S

# Self-closing washbasin tap for rear panel mounting

# Modell-Linie: F3S | F3SV1009 Taps | Self closing taps

surface finish fitting	raw
surface treatment fitting	none
temperature limit	no
thermal disinfection	no
with transformer/power supply	no
type of mounting	concealed
type of operation	manual operation
type of tap	bib tap
volume flow rate at 3 bar	0.3 l/s
water connection	threaded connection (internal)
Accent colour	chrome-look (glossy)
Basic colour	stainless steel-look

#### **Mandatory Accessories**







Wall outlet for in-wall washbasin taps

**2030071655** ACXX1008

Wall outlet for in-wall washbasin taps

**2030071654** ACXX1009

Wall outlet for in-wall washbasin taps

**2030071663** ACXX1010

## **Spare Parts**









Remote operation valve

**2000104780** EFLSY0027

Head part

**2000104387** ETAPS0007

Remote operation hose

**2000104803** EAQLN0019

Stainless steel care set

ZWSPL0024



# KWC F3S

Self-closing washbasin tap for rear panel mounting

Modell-Linie: F3S | F3SV1009 Taps | Self closing taps



Cleaning product CHROMOL

**2000105091** ZWSPL0023