


KWC F3S

Self-closing washbasin tap for rear panel mounting

Modell-Linie: F3S | F3SV1009

Taps | Self closing taps





KWC-No.

2030067876

F3S self-closing straight-way valve DN 15 for sanitary facilities, with remote control for concealed mounting. Especially suitable for facilities at risk of vandalism. Self-closing head part, hydraulically controlled for remote control, piston-free design, self-closing, for consection to pre-mixed hot water or cold water. All-metal construction, visible parts polished chromium-plated. Stainless steel cover plate 190 x 245 x 2 mm for invisible mounting via threaded

rods up to a wall thickness of 50 to 500 mm, with recess for KWC wall outlet DN 15 (required separately), pre-mounted push-button actuation. Flush-mounted box, hydraulic control lines with empty conduit (2 m) and mounting material. Connection and maintenance via service room

Wall outlet must be ordered separately.

·

NEW

Technical Data

Built-in fitting model	Finishing section
compatible A3000 open	no
Cover plate height	245 mm
Cover plate width	190 mm
depressurised	no
adjustable flow time	yes
functional principle	hydraulic self-clos
hygiene flushing	no
diameter nominal	DN 15
inlet size	G 1/2 B
Locking mechanism	Top section, non-o
material casing	stainless steel
material code casing	1.4301 Chrome N
material fitting	brass-look
maximum flow time	20 Seconds
minimum flow pressure	1 bar
minimum flow time	10 Seconds
type of mixing	no
Pop-up waste set	no
with rosettes/cover plate	yes
protective shutdown	no
sound insulation	no
Spout	fixed
surface finish casing	satin finished

no	
245 mm	
190 mm	
no	
yes	
hydraulic self-closing	
no	
DN 15	
G 1/2 B	
Top section, non-cerar	nic
stainless steel	
1.4301 Chrome Nicke	l steel V2A
brass-look	
20 Seconds	
1 bar	
10 Seconds	
no	
no	
yes	
no	
no	
fixed	
satin finished	



KWC F3S

Self-closing washbasin tap for rear panel mounting

Modell-Linie: F3S | F3SV1009 Taps | Self closing taps

surface finish fitting	raw	
surface treatment fitting	none	
temperature limit	no	
thermal disinfection	no	
with transformer/power supply	no	
type of mounting	concealed	
type of operation	manual operation	
type of tap	bib tap	
volume flow rate at 3 bar	0.3 l/s	
water connection	threaded connection (internal)	
Accent colour	chrome-look (glossy)	
Basic colour	stainless steel-look	

Mandatory Accessories







Wall outlet for in-wall washbasin taps

2030071655 ACXX1008

Wall outlet for in-wall washbasin taps

2030071654 ACXX1009

Wall outlet for in-wall washbasin taps

2030071663 ACXX1010

Spare Parts



Remote operation valve

2000104780 EFLSY0027



Head part 2000104387 ETAPS0007



Remote operation hose

2000104803 EAQLN0019



Stainless steel care set

2000109019 ZWSPL0024



KWC F3S Self-closing washbasin tap for rear panel mounting

Modell-Linie: F3S | F3SV1009 Taps | Self closing taps



Cleaning product CHROMOL

2000105091 ZWSPL0023