


KWC F3S

WC flush valve for in-wall installation

Modell-Linie: F3S | F3SF4002

Flushing systems | Self closing wc flushing system



KWC-No.

2030068201

F3S WC flush valve, especially suitable for facilities at risk of vandalism

F3S WC flush valve DN 20 as a finished installation kit for in-wall installation in the basic installation kit, for wall-mounted toilet bowls, fitting group 1. Especially suitable for facilities at risk of vandalism. Self-closing upper component hydraulically controlled, piston-free design, automatic and backlash-free closing. Automatic flush flow

regulation and adjustable flush water volume. All-metal construction, visible parts polished chromium-plated. Stainless steel cover plate 190 x 245 x 2 mm, mounting from the front with safety screws, pre-mounted push-button actuation. Hydraulic control lines and mounting material. Depth adjustability 20 mm.

NEW

Technical Data

| |
|--------------------------------|
| Built-in fitting model |
| calculation flow rate cold wat |
| Cover plate height |
| Cover plate width |
| Flushing volume adjustable |
| functional principle |
| diameter nominal |
| material casing |
| material code casing |
| material fitting |
| maximum flow pressure |
| maximum flushing flow |
| minimum flow pressure |
| minimum flushing flow |
| Parameterization |
| protective shutdown |
| sound insulation |
| surface finish casing |
| surface finish fitting |
| type of flushing fitting |
| type of mounting |
| type of operation |
| water connection |
| Basic colour |

| |
|--------------------------------|
| Finishing section |
| 1 l/s |
| 245 mm |
| 190 mm |
| yes |
| hydraulic self-closing |
| DN 20 |
| stainless steel |
| 1.4301 Chrome Nickel steel V2A |
| brass-look |
| 4 bar |
| 1.3 l/s |
| 1.2 bar |
| 1 l/s |
| manual |
| no |
| I- |
| satin finished |
| raw |
| WC flush valve |
| in-wall installation with box |
| manual operation |
| threaded connection (external) |
| stainless steel-look |




KWC F3S

WC flush valve for in-wall installation

Modell-Linie: F3S | F3SF4002

Flushing systems | Self closing wc flushing system

Mandatory Accessories




R3 system box for WC flush valve

2030068205

F3BF4001

Optional Accessories



Flushing pipe for in-wall installation

2000101466


AQRM920

Spare Parts




Remote operation valve

2000104780



Remote operation hose

2000104803



Upper part

2000104384



Stainless steel care set

2000109019

KWC F3S

WC flush valve for in-wall installation

Modell-Linie: F3S | F3SF4002

Flushing systems | Self closing wc flushing system

EFLSY0027

EAQLN0019

EFLSY0004

ZWSPL0024



Cleaning product CHROMOL

2000105091

ZWSPL0023
