


KWC F5E-Therm - A3000 open Stainless steel shower panel

Modell-Linie: F5E | F5ET2041

Showers | Electronic self closing shower



KWC-No.

2030070431

NEW

F5E-Therm - A3000 open shower panel made of stainless steel for wall mounting with thermostatic mixer and connecting nozzles for shower head. Hydraulically controlled, for connection from the rear to hot and cold water. Function block with integrated solenoid valve cartridge, thermostat and mechanism for optional bypass solenoid valve cartridge to perform program-controlled thermal disinfection. Thermostat with anti-theft metal handle, adjustable and turn-proof temperature stop and option for manual thermal disinfection. All-metal construction, visible parts polished chromium-plated. Connecting nozzles for the required additional DN 15 KWC shower head with pre-fitted flow regulator 9.0 l/min. Housing made of stainless steel, single-piece enclosed, including safety screws.

Piezo push-button with start/stop function. With waterproof electronic module, electric T-junction for connection to system cable, connecting hoses with lockable water volume control with backflow preventer and strainer. Activated hygiene flushing 24 hours after the last activity. With facility for parameterization, cleaning deactivation and communication via ECC2 function controller, 24 V DC.


Dimensions of housing 232 x 1160 x 90 mm (W x H x D)

Shower head must be ordered separately.

Technical Data

additional connections	no
with backflow preventer	yes
circulation	no
compatible A3000 open	yes
connection with pay water disp	not possible
with filter	yes
adjustable flow time	yes
functional principle	electronic self-closing
for hand shower	no
hygiene flushing	yes
diameter nominal	DN 15
inlet size	G 1/2 A
Locking mechanism	Top section, non-ceramic
material casing	stainless steel
material code casing	1.4301 Chrome Nickel steel V2A
material fitting	brass-look
minimum flow pressure	1 bar
type of mixing	with thermostat
power supply connection	A3000 open 24 V DC / 230 V AC
Type of power supply	Transformer
with rosettes/cover plate	yes

no
yes
no
yes
not possible
yes
yes
electronic self-closing
no
yes
DN 15
G 1/2 A
Top section, non-ceramic
stainless steel
1.4301 Chrome Nickel steel V2A
brass-look
1 bar
with thermostat
A3000 open 24 V DC / 230 V AC
Transformer
yes



KWC F5E-Therm - A3000 open Stainless steel shower panel

Modell-Linie: F5E | F5ET2041

Showers | Electronic self closing shower

protective shutdown	no
shower pipe draining	no
Shower head	for separately shower head
sound insulation	no
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
with transformer/power supply	no
type of mounting	wall mounting
type of operation	sensor operation
type of sensor	piezo-electronic sensor
type of shower	shower panel
Volume flow rate bypass PWH	0.06 l/s
volume flow rate at 3 bar	0.15 l/s
water connection	hose (gland nut)
position of water connection	from backside
with soap dish	no
Accent colour	chrome-look (glossy)
Basic colour	stainless steel-look

Mandatory Accessories




**AQUAJET-Slimline shower head for
KWC shower panels and systems**

2030054255
SHAS0011



**AQUAJET-Comfort shower head for
KWC shower panels and systems**

2030054254
SHAC0011



**MÜNCHEN shower head for KWC
shower panels and systems**

2030054793
SHMU0011



ECC2 function controller

2000108123
ZA3OP0011



KWC F5E-Therm - A3000 open Stainless steel shower panel

Modell-Linie: F5E | F5ET2041
Showers | Electronic self closing shower

ECC2 function controller

2030016282
ZA30P0022

System cable


2000104272
ZAQUA011

System cable

2000104274
ZAQUA012

System cable


2000100801
ZAQUA077



System cable


2000100852
ZAQUA078

Optional Accessories



Flow controller 6.0 l/min




2030027586
ESHHE0004



Flow controller 12.0 l/min

2000104783
ESHHE0002

Spare Parts



KWC F5E-Therm - A3000 open Stainless steel shower panel

Modell-Linie: F5E | F5ET2041
Showers | Electronic self closing shower

Temperature stop

2030003296
EAQLT0003



Piezo Switch

2000104441
EAT300001



Flow controller 9,0 l/min

2000104782
ESHHE0001

Electrical T junction

2000100853
ZAQUA075

Stainless steel care set

2000109019
ZWSPL0024

Cleaning product CHROMOL

2000105091
ZWSPL0023
