


KWC F5E

WC flush valve for in-wall installation

Modell-Linie: F5E | F5EF4008

Spolssystem | Elektroniska WC-spolningssystem



KWC-No.

360000383

F5E electronic WC flush valve for in-wall installation

F5E WC flush valve DN 20 as finished installation kit for in-wall installation in basic installation kit, touch-free, opto-electronically controlled. With solenoid flush valve fitting group I including enclosed throttle insert to reduce the flush volume, holding frame with profile seal and stainless steel cover plate 190 x 245 mm with integrated sensor and covered screw fixing. Depth adjustability 20 mm. Parameterisation and communication possible via optional bidirectional remote control. Optionally for battery operation with 6 V

lithium battery (CR-P2) per fitting or separate power supply via power supply unit 6.75 V/12 V DC or AQUA 3000 open system accessories.

Battery compartment including battery or power supply unit with extension cable or AQUA 3000 open system accessories must be ordered separately.

NEW

Technical Data

ATT-WS-BUILTINMODEL

Beräknat flöde för dricksvatten

Täckplattans höjd

Bredd på täckplattan

Standard automatisk hygien spolning

Justerbar spolvolym

Funktionell princip

ATT-WS-HYGIENE-FLUSH

Nominell diameter

Material hölje

materialkod hölje

Material delar

Maximalt flödestryck

Maximalt spolnings flöde

Maximalt vatten spolvolym

Minimalt flödestryck

Minimalt spolningsföde

Minimal vattenspol volym

Parametrering

Kraft försörjnings anslutning

Kraftanslutning

Typ av strömförsörjning

Skydds system IP

FINISHING

1 l/s

245 mm

190 mm

24 timmar efter den senaste operationen

Ja

Elektronisk självstängande

Ja

DN 20

Rostfritt stål

1.4301

Mässing

4 bar

1.3 l/s

9 Liter

1.2 bar

1 l/s

6 Liter


Fjärrkontroll

6-12-3000VDC

Topp

Batteri-/maindrift

59K



KWC F5E


WC flush valve for in-wall installation

Modell-Linie: F5E | F5EF4008

Spolssystem | Elektroniska WC-spolningssystem

Säkerhetsavstängning	Ja
Ljud isolering	Nej
Ytfinish	Satin yta
Ytfinish hölje	Satin yta
ATT-WS-TRANSFORMER	Nej
typ av spolssystem	WC
Typ av montering	Dold väggmontage med låda
Typ av operation	Sensor styrning
Typ av sensor	Utan elektronisk sensor
Vattenanslutning	THREAD

Nödvändiga tillbehör



R3 system box for WC flush valve

2030068205
F3BF4001



AQUAFIX installation frame with WC flush valve for in-wall installation

3600005980
AQFX0012




AQUAFIX installation frame for barrier-free WC systems, with WC flush valve for in-wall installation

3600005981
AQFX0013




Battery compartment

3600002063
ACEX9023



Power supply unit

2030039477
ACEX9001



Extension cable 5 m

2030043814
ACEX9010



In-wall power supply

2030039825
ACEX9003

Extratillbehör

KWC F5E

WC flush valve for in-wall installation

Modell-Linie: F5E | F5EF4008

Spolsystem | Elektroniska WC-spolningssystem



Bidirectional remote control for electronic fittings F3 and F5

2030036654
ACEX9005




2-button remote control for fittings F3 and F5

2030036849
ACEX9004



Förlängningskabel

2000101055
ZAQUA073



Flushing pipe for in-wall installation

2000101466
AQRM920

Reservdelar



Stainless steel care set

2000109019
ZWSPL0024



Cleaning product CHROMOL

2000105091
ZWSPL0023