


## KWC F7E Electronic pillar tap

Modell-Linie: F7 | F7EV1001  
Taps | Electronic taps



### KWC-No.

**3600001255**

F7E pillar tap DN 15 for sanitary facilities, opto-electronically controlled. For connection to pre-mixed hot or cold water via hose and strainer. Control electronics, solenoid valve and sensor in stainless steel housing, brushed surface, outlet height 115 mm and projection 125 mm. Angle-adjustable and anti-theft aerator with integrated flow regulator 5.7 l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional bidirectional

remote control or C module with the necessary app. Optionally for battery operation with battery compartment including 6 V lithium battery (CR-P2) per fitting, for installation below the washbasin, or for separate power supply via power supply unit 6.75 V/12 V DC or AQUA 3000 open system accessories.

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

### Technical Data

with backflow preventer

no

compatible A3000 open

yes

default automatic hygiene flus

24h after the last activity

depressurised

no

with filter

yes

functional principle

electronic self-closing

hygiene flushing

yes

diameter nominal

DN 15

inlet size

G 3/8

Locking mechanism

Top section, non-ceramic

material fitting

stainless steel

minimum flow pressure

1 bar

type of mixing

no

Parameterization

remote control

Pop-up waste set

no

power supply connection

6,75 / 12 VDC / A3000 open

position of power connection

from bottom

Type of power supply

Other

with rosettes/cover plate

no

protective shutdown

yes

sound insulation


no

Spout

fixed

surface finish fitting

brushed



## KWC F7E

### Electronic pillar tap

Modell-Linie: F7 | F7EV1001

Taps | Electronic taps


surface treatment fitting	brushed
temperature limit	no
thermal disinfection	no
with transformer/power supply	no
type of mounting	tap hole
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of tap	pillar tap
water connection	hose (gland nut)
Accent colour	none
Basic colour	stainless steel-look

### Mandatory Accessories



#### Battery compartment

**3600002063**  
ACEX9023



#### Power supply unit

**2030039477**  
ACEX9001



#### Extension cable 5 m

**2030043814**  
ACEX9010



#### Plug-in power supply unit

**3600002062**  
ACEX9022



#### In-wall power supply

**2030039825**  
ACEX9003

### Optional Accessories

## KWC F7E Electronic pillar tap

Modell-Linie: F7 | F7EV1001  
Taps | Electronic taps



**Bidirectional remote control for electronic fittings F3 and F5**

**2030036654**  
ACEX9005



**2-button remote control for fittings F3 and F5**

**2030036849**  
ACEX9004



**C module**

**3600001331**  
ACEX9020



**PURETHERM under-table thermostat**

**2030012758**  
PURE0031

### Spare Parts



**Hose**

**2030041311**  
ASXX1005



**Stainless steel care set**

**2000109019**  
ZWSP0024



**Cleaning product CHROMOL**

**2000105091**  
ZWSP0023