


KWC F7E Electronic pillar tap

Modell-Linie: F7 | F7EV1002
Taps | Electronic taps



KWC-No.

3600001258

NEW

F7E pillar tap DN 15 for sanitary facilities, opto-electronically controlled. For connection to pre-mixed hot or cold water via hose and strainer. Control electronics, solenoid valve and sensor in stainless steel housing, brushed surface, outlet height 245 mm and projection 180 mm. Angle-adjustable and anti-theft aerator with integrated flow regulator 5.7 l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional bidirectional


remote control or C module with the necessary app. Optionally for battery operation with battery compartment including 6 V lithium battery (CR-P2) per fitting, for installation below the washbasin, or for separate power supply via power supply unit 6.75 V/12 V DC or AQUA 3000 open system accessories.

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

Technical Data

| |
|---------------------------------|
| with backflow preventer |
| compatible A3000 open |
| default automatic hygiene flush |
| depressurised |
| with filter |
| functional principle |
| hygiene flushing |
| diameter nominal |
| inlet size |
| Locking mechanism |
| material fitting |
| minimum flow pressure |
| type of mixing |
| Parameterization |
| Pop-up waste set |
| power supply connection |
| position of power connection |
| Type of power supply |
| with rosettes/cover plate |
| protective shutdown |
| sound insulation |
| Spout |
| surface finish fitting |

| |
|-----------------------------|
| no |
| yes |
| 24h after the last activity |
| no |
| yes |
| electronic self-closing |
| yes |
| DN 15 |
| G 3/8 |
| Top section, non-ceramic |
| stainless steel |
| 1 bar |
| no |
| remote control |
| no |
| 6,75 / 12 V DC / A3000 open |
| from bottom |
| Other |
| no |
| yes |
| no |
| fixed |
| brushed |



KWC F7E Electronic pillar tap

Modell-Linie: F7 | F7EV1002
Taps | Electronic taps


| | |
|-------------------------------|------------------------|
| surface treatment fitting | brushed |
| temperature limit | no |
| thermal disinfection | no |
| with transformer/power supply | no |
| type of mounting | tap hole |
| type of operation | sensor operation |
| type of sensor | opto-electronic sensor |
| type of tap | pillar tap |
| water connection | hose (gland nut) |
| Accent colour | none |
| Basic colour | stainless steel-look |

Mandatory Accessories



Battery compartment

3600002063
ACEX9023



Power supply unit

2030039477
ACEX9001



Extension cable 5 m

2030043814
ACEX9010



Plug-in power supply unit

3600002062
ACEX9022



In-wall power supply

2030039825
ACEX9003

Optional Accessories

KWC F7E Electronic pillar tap

Modell-Linie: F7 | F7EV1002
Taps | Electronic taps



**Bidirectional remote control for
electronical fittings F3 and F5**

2030036654
ACEX9005



**2-button remote control for fittings F3
and F5**

2030036849
ACEX9004



C module

3600001331
ACEX9020

Electronic module EM5 with ID 02140

3600004311
ACEX1008



PURETHERM under-table thermostat

2030012758
PURE0031

Spare Parts



Stainless steel care set

2000109019
ZWSPL0024



Cleaning product CHROMOL

2000105091
ZWSPL0023