


KWC PLANOX

Washbasin unit with electronic bib taps

Modell-Linie: PLANOX | PL12UEV

Washbasins & Washtroughs | Washtroughs



KWC-No.

3600004028

with two wash places
Dimensions 1200 x 530 x 440 mm (W x H x D)

3600004027

with one wash place
Dimensions 600 x 530 x 440 mm (W x H x D)

3600004029

with three wash places
Dimensions 1800 x 530 x 440 mm (W x H x D)

3600004040

with four wash places
Dimensions 2400 x 530 x 440 mm (W x H x D)

overall width

1,200 mm

600 mm

1,800 mm

2,400 mm

NEW

PLANOX washbasin unit with seamless welded trough, with two wash places, suitable for wall mounting, for connection to premixed hot water or cold water from the rear right or left. Stainless steel housing, satin finish, material thickness 1.5 mm. Centre waste, G 1 1/2 B flat perforated waste, including mounting material. Ready for connection, with mounted F3E bibtaps, opto-electronically controlled, control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, polished

chromium-plated brass. Aerator with integrated flow rate controller 6.0 l/min. Activated hygiene flushing 24 hours after last activation, safety switch-off for continuous reflection and saving of statistical data. Parameterisation and communication possible via optional bidirectional remote control.

Dimensions 1200 x 530 x 440 mm (W x H x D)
Wash place width 600 mm

Technical Data

material	stainless steel
material code	1.4301 Chrome Nickel steel V2A
number of waste holes	1
overall width	1,200 mm
rear upstand	no
splash back	yes
surface finish	satin finished
type of mounting	wall mounting
type of waste kit	perforated waste
waste hole position	centre
waste kit included	yes

material	stainless steel
material code	1.4301 Chrome Nickel steel V2A
number of waste holes	1
overall width	1,200 mm
rear upstand	no
splash back	yes
surface finish	satin finished
type of mounting	wall mounting
type of waste kit	perforated waste
waste hole position	centre
waste kit included	yes

Optional Accessories

KWC PLANOX

Washbasin unit with electronic bib taps

Modell-Linie: PLANOX | PL12UEV

Washbasins & Washtroughs | Washtroughs



Bidirectional remote control for electronic fittings F3 and F5

2030036654
ACEX9005



Aerator

2000101160
ZAQUA087



2-button remote control for fittings F3 and F5

2030036849
ACEX9004



3.0 l/min. aerator


2030041424
ASXX1008

Spare Parts



F3E Electronic bib tap with battery operation

2030036177
F3EV1004



Aerator 6.0 l/min

2000104691
ASXX1015



Cover cap

2030049344
ASEV1004




Lithium battery 6 V

2000104846
EPRTR0008




Foil

2030049346
ASEV1005




Solenoid valve cartridge

2030045522
ACXX9002



Sensor, ID 01/00001

2030041447
ASEX1001



Spare part set

2030042426
ASEX1011

KWC PLANOX

Washbasin unit with electronic bib taps

Modell-Linie: PLANOX | PL12UEV

Washbasins & Washtroughs | Washtroughs



Service set

2030049348
ASEV1006



O-ring, red

2030042439
ASEV1002



O-ring, blue

2030042440
ASEV1002



Stainless steel care set

2000109019
ZWSPL0024



Cleaning product CHROMOL

2000105091
ZWSPL0023