


KWC F3S WC flush valve for in-wall installation

Modell-Linie: F3S | F3SF4003 Flushing systems | Self closing wc flushing system





KWC-No.

3600005979 F3S WC flush valve for in-wall installation

F3S WC flush valve DN 20 as finished installation kit for in-wall installation ktł for in-wall installation in the basic installation kit, fitting group I. Self-closing upper component hydraulically controlled, piston-free design, automatic and backlash-free closing. Automatic flush flow regulation and adjustable flush water volume. All-metal construction, visible parts polished chrome-plated. Holding frame including profile seal, stainless steel cover plate 190 x 245 mm with covered screw fixing, pre-fitted push-button actuation, hydraulic control lines and mounting material. Depth adjustability 20 mm.

Technical Data

Built-in fitting model	Finishing section	
calculation flow rate cold wat	1 l/s	
Cover plate height	245 mm	
Cover plate width	190 mm	
Flushing volume adjustable	yes	
functional principle	hydraulic self-closing	
diameter nominal	DN 20	
material casing	stainless steel	
material code casing	1.4301 Chrome Nickel steel V2A	
material fitting	brass-look	
maximum flow pressure	4 bar	
maximum flush water volume	78 Liter	
minimum flow pressure	1.2 bar	
minimum flush water volume	60 Liter	
overall height	245 mm	
overall width	190 mm	
Parameterization	manual	
protective shutdown	no	
sound insulation	- -	
surface finish casing	satin finished	
surface finish fitting	raw	
type of flushing fitting	WC flush valve	
type of mounting	in-wall installation with box	
type of operation	manual operation	
water connection	threaded connection (external)	

NEW



KWC F3S WC flush valve for in-wall installation

Modell-Linie: F3S | F3SF4003 Flushing systems | Self closing wc flushing system

Basic colour

stainless steel-look

Mandatory Accessories





R3 system box for WC flush valve

2030068205 F3BF4001


AQUAFIX installation frame with WC flush valve for in-wall installation

3600005980 AQFX0012

AQUAFIX installation frame for barrier-free WC systems, with WC flush valve for in-wall installation

3600005981 AQFX0013

Optional Accessories



Flushing pipe for in-wall installation

2000101466 AQRM920

Spare Parts











KWC F3S WC flush valve for in-wall installation

Modell-Linie: F3S | F3SF4003 Flushing systems | Self closing wc flushing system

Remote operation valve	Remote operation hose	Upper part	Holding frame	
2000104780 EFLSY0027	2000104803 EAQLN0019	2000104384 EFLSY0004	2030045472 ASXX9004	
and and a set of the s	Director			

Stainless steel care set

2000109019 ZWSPL0024

Cleaning product CHROMOL

2000105091	
ZWSPL0023	