


## KWC F5LME Hybrid washbasin tap

Modell-Linie: F5L | F5LME005  
Kranar | Manuella kranar



### KWC-No.

**3600008404**

F5LME hybrid washbasin tap DN 15 as pillar mixer with swivelling spout, can be locked in the centre position. Adjustable swivel ranges of 50°, 120° and 360°. For connection to hot water and cold water via hoses with strainers. Single lever mixer with mixer cartridge with ceramic disc technology and adjustable, turn-proof temperature stop. Alternative activation using hand reflection via an opto-electronic sensor for time-controlled water release with preset mixing water temperature. Mixer cartridge, solenoid valve and sensor with control electronics in all-metal housing, brushed stainless steel. Laminar jet controller with integrated flow rate controller (8.0 l/min). Projection 220 mm. Activated water hygiene

flushing 24 hours after last activation, safety switch-off for continuous reflection and saving of statistical data. With option for parametrisation and communication via optional, bidirectional remote control. Optionally for battery operation with battery compartment including 6 V lithium battery (CR-P2) per fitting for installation under the kitchen sink or for separate power supply via 6.75 V/12 V DC power supply unit or AQUA 3000 open system accessories.


Battery compartment including battery or power supply unit with extension cable must be ordered separately.

NEW

### Technical Data

Nedtryckt
med filter
Funktionell princip
ATT-WS-HYGIENE-FLUSH
Nominell diameter
Låsmekanism
Material delar
Minimalt flödestryck
Typ av blandning
ATT-WS-POPUPWASTESET
med rosetter/täckplatta
ATT-WS-SPOUT
Sprut kastare
yt finish
Temperaturstopp
terminal för desinfektion
Typ av montering
Typ av operation
Typ av kran
Volymflöde vid 3 bar
Vattenanslutning
Accentfärg

Nej
Ja
Manual
förberädd
DN 15
Övre delen icke-keramisk
Rostfritt stål
1 bar
Ja
Nej
Nej
ROTATING-TOP
175 mm
Borstad
Ja
Ja
TAPHOLE
Manull operation
PILLAR-TAB
0.13 l/s
Slang
utan



## KWC F5LME Hybrid washbasin tap


Modell-Linie: F5L | F5LME005  
Kranar | Manuella kranar

### Nödvändiga tillbehör




#### Battery compartment

**3600002063**  
ACEX9023



#### Power supply unit

**2030039477**  
ACEX9001



#### Extension cable 5 m

**2030043814**  
ACEX9010



#### Nättaggregat

**3600002062**  
ACEX9022



#### In-wall power supply

**2030039825**  
ACEX9003

### Extratillbehör



#### Bidirectional remote control for electronical fittings F3 and F5

**2030036654**  
ACEX9005



#### 2-button remote control for fittings F3 and F5

**2030036849**  
ACEX9004




#### PURETHERM under-table thermostat

**2030012758**  
PURE0031

## KWC F5LME Hybrid washbasin tap

Modell-Linie: F5L | F5LME005  
Kranar | Manuella kranar

### Reservdelar



### Solenoid valve cartridge

---

**2030045522**  
ACXX9002

---